

Common Name (& pops)	SPECIES STATUS		Trend difference score	Absolute Value CBC trend - BBS trend	CBC trend - BBS trend	COMBINED CBC-BBS TRENDS						BBS TRENDS THROUGH 2004/2005						LIST ORDER		MS Winter Range	% in CBC area	% N. Am. Range covered by CBC	% N. Am. Range covered by BBS	MS Breeding Range	% in BBS area	% N. Am. Range covered by BBS										
	ABA 6th ed. Status Codes	ABA 6th ed. abundance codes				Combined trend scores after weighting	Combined trend - weighted	Variance of combined trend	2.5% CI (C.I. for CBC, Col. For BBS)	97.5% CI (C.I. for CBC, Col. For BBS)	Equal weighting score	Percent CBC weighting	BBS Incl/Excl/Stable (sensu PH)	BBS Continental Trend: 1966-2004/05	2.5% CI for BBS	97.5% CI for BBS	Variance - BBS	Precision estimate - BBS	Precision score - BBS								# BBS Routes where species present	Sample size score - BBS	Relative abundance - BBS	Abundance score - BBS	% N. Am. Range covered by BBS	BBS range coverage score	Reliability score for BBS	List Order - All sp. no classification	List Order - Cont. sp. no classification	
Western Screech-Owl	N	1				D*	-10.55	16.6864	-18.6	-2.5	0	0.0		D*	-10.55	-18.6	-2.5	16.6864	8.01	1	19	2	0.01	1	70.81	3	1	1018	1018	3588993.52	74.11	74.11	3588993.52	70.81	70.81	
Black Swift	N	2				d	-7.00		-15.6	1.7	0	0		d	-7.00	-15.6	1.7	18.147	8.35	1	50	3	1.300	3	35.69	2	1	1099	1099	1987356	0.0	0.0	1278447	35.1	35.1	35.7
Common Tern	N	1				D*	-6.30	5.73	-11.0	-1.6	0	0		D*	-6.30	-11	-1.6	6.701	5.07	2	115	3	0.330	2	54.49	2	2	798	798	4759009	0.1	4.4	4292449	48.2	54.5	54.5
Cerulean Warbler	N	1				D*	-4.34		-5.7	-3.0	0	0		D*	-4.34	-5.7	-3	0.468	1.34	3	243	3	0.31	2	99.97	3	2	2061	2061	1083723.01	0.00	0.00	1238220.56	99.97	99.97	
Baird's Sparrow	N	2				D*	-3.88		-6.2	-1.6	0	0		D*	-3.88	-6.2	-1.6	1.35	2.28	2	139	3	1.7	3	100.00	3	2	2271	2271	378198.94	19.41	19.41	829305.43	100.00	100.00	
Olive-sided Flycatcher	N	1				D*	-3.54		-4.3	-2.8	0	0		D*	-3.54	-4.3	-2.8	0.1402	0.73	3	801	3	1.18	3	56.81	2	2	1537	1537	8312993.95	0.00	0.00	9998564.09	56.81	56.81	
Bell's Vireo	N	1				D*	-2.67		-4.3	-1.0	0	0		D*	-2.67	-4.3	-1	0.7299	1.67	3	302	3	1.23	3	77.11	3	3	1679	1679	2642954.02	0.00	0.00	292808.10	77.11	77.11	
Blackpoll Warbler	N	1				d	-2.56		-11.9	6.8	0	0		d	-2.56	-11.9	6.8	22.6645	9.33	1	81	3	2.92	3	17.11	1	1	2060	2060	4200099.12	0.00	0.00	6322217.67	17.11	17.11	
Golden-winged Warbler	N	2				D*	-2.52		-4.0	-1.0	0	0		D*	-2.52	-4	-1	0.5784	1.49	3	274	3	0.39	2	99.85	3	2	2025	2025	1395872.52	0.00	0.00	1395872.52	99.85	99.85	
Bay-breasted Warbler	N	1				d	-2.51		-5.5	0.5	0	0		d	-2.51	-5.5	0.5	2.3107	2.98	2	203	3	1.73	3	46.50	2	2	2059	2059	830591.19	0.00	0.00	2639617.00	46.50	46.50	
Rufous Hummingbird	N	1				d	-2.12		-3.6	-0.7	0	0		d	-2.12	-3.6	-0.7	0.5631	1.47	3	228	3	1.35	3	79.00	3	3	1244	1244	233245.45	0.00	0.00	1525005.13	79.00	79.00	
Canada Warbler	N	1				d	-2.08		-3.7	-0.5	0	0		d	-2.08	-3.7	-0.5	0.6865	1.62	3	509	3	0.85	2	67.11	3	2	2093	2093	2761676.02	0.00	0.00	2761676.02	67.11	67.11	
McCown's Longspur	N	2				d	-2.04		-6.5	2.4	0	0		d	-2.04	-6.5	2.4	5.0567	4.41	2	71	3	3.73	3	100.00	3	2	2291	2291	822612.25	58.33	58.33	685881.19	100.00	100.00	
Grace's Warbler	N	1				d	-1.93		-4.0	0.2	0	0		d	-1.93	-4	0.2	1.1487	2.10	2	40	2	1.58	3	53.05	2	2	2049	2049	437316.02	0.00	0.00	1121082.40	53.05	53.05	
Black-billed Cuckoo	N	1				d	-1.80		-2.7	-1.0	0	0		d	-1.80	-2.7	-1	0.1897	0.85	3	1209	3	4.84	3	99.49	3	2	986	986	2310976.78	0.00	0.00	4947107.56	99.49	99.49	
Eastern Wood-Pewee	N	1				d	-1.78		-2.1	-1.5	0	0		d	-1.78	-2.1	-1.5	0.0219	0.29	3	2088	3	3.01	3	99.65	3	3	1542	1542	5175732.42	0.00	0.00	4085491.10	99.65	99.65	
Bobolink	N	1				d	-1.78		-2.3	-1.3	0	0		d	-1.78	-2.3	-1.3	0.0717	0.52	3	1256	3	4.84	3	98.11	3	3	2332	2332	909852.75	0.00	0.00	3882954.86	98.11	98.11	
Wood Thrush	N	1				d	-1.77		-2.1	-1.4	0	0		d	-1.77	-2.1	-1.4	0.0312	0.35	3	1788	3	4.69	3	99.64	3	3	1933	1933	3497387.35	0.00	0.00	3497387.35	99.64	99.64	
Common Nighthawk	N	1				d	-1.76		-2.4	-1.2	0	0		d	-1.76	-2.4	-1.2	0.0934	0.60	3	1672	3	1.92	3	75.48	3	3	1068	1068	14148910.62	0.00	0.00	13204075.13	75.48	75.48	
Yellow-billed Cuckoo	N	1				d	-1.70		-2.0	-1.4	0	0		d	-1.70	-2	-1.4	0.0196	0.27	3	1870	3	3.9	3	85.50	3	3	984	984	14101230.97	0.00	0.00	5283252.13	85.50	85.50	
Chimney Swift	N	1				d	-1.64		-1.9	-1.3	0	0		d	-1.64	-1.9	-1.3	0.0239	0.30	3	2144	3	5.97	3	99.18	3	3	1107	1107	4634957.00	0.00	0.00	5211452.53	99.18	99.18	
Connecticut Warbler	N	2				d	-1.50		-3.6	0.6	0	0		d	-1.50	-3.6	0.6	1.1023	2.06	2	100	3	0.4	2	82.32	3	2	2075	2075	4034009.57	0.00	0.00	1181257.81	82.32	82.32	
Black Tern	N	1				d	-1.50		-4.5	1.6	0	0		d	-1.50	-4.5	1.6	3.389	3.61	2	332	3	1.820	3	82.44	3	2	796	796	1149999	0.0	0.0	5365263	82.4	82.4	82.4
Prothonotary Warbler	N	1				d	-1.50		-2.7	-0.3	0	0		d	-1.50	-2.7	-0.3	0.355	1.17	3	467	3	0.960	2	100.00	3	2	2068	2068	1405081	7.0	7.2	2177565	99.7	100.0	100.0
Least Flycatcher	N	1				d	-1.34	0.0485	-1.8	-0.9	0	0.0		d	-1.34	-1.8	-0.9	0.0485	0.43	3	1290	3	3.82	3	70.81	3	3	1555	1555	1030656.54	0.98	0.98	6145718.53	70.81	70.81	
"Western" Flycatcher (Pac.-sl. & Cord. lumped)	N	1				d	-1.24	0.9851	-3.2	0.7	0	0		d	-1.24	-3.2	0.7	0.9851	1.95	3	444	3	2.88	3	72.90	3	3	1561.1	1561.1	707651.53	0.00	0.00	2980288.55	72.90	72.90	
Least Tern	N	1				d	-1.20		-5.9	3.4	0	0		d	-1.20	-5.9	3.4	6.497	5.00	2	65	3	0.730	2	55.02	2	2	793	793	2175338	0.0	6.9	1344407	13.4	55.0	55.0
Dusky Flycatcher	N	1				d	-1.20	0.3938	-2.4	0	0	0.0		d	-1.20	-2.4	0	0.3938	1.23	3	421	3	2.47	3	95.82	3	3	1558	1558	956680.69	1.00	1.00	2681717.46	95.82	95.82	
Mourning Warbler	N	1				d	-1.20		-1.9	-0.5	0	0		d	-1.20	-1.9	-0.5	0.1266	0.70	3	585	3	4.14	3	79.60	3	3	2076	2076	840659.20	0.00	0.00	2706902.35	79.60	79.60	
Willow Flycatcher	N	1				d	-1.12		-2.2	0.0	0	0		d	-1.12	-2.2	0	0.3213	1.11	3	1226	3	1.23	3	99.17	3	3	1551	1551	1313414.48	0.00	0.00	7307395.84	99.17	99.17	
Western Wood-Pewee	N	1				d	-1.08		-1.7	-0.4	0	0		d	-1.08	-1.7	-0.4	0.1047	0.63	3	891	3	3.05	3	72.29	3	3	1541	1541	1132755.60	0.00	0.00	6942271.70	72.29	72.29	
Eastern Kingbird	N	1				d	-0.96		-1.2	-0.7	0	0		d	-0.96	-1.2	-0.7	0.0213	0.29	3	2757	3	3.96	3	88.81	3	3	1609	1609	6296169.00	0.00	0.00	9121049.02	88.81	88.81	
Kentucky Warbler	N	1				d	-0.91		-1.6	-0.2	0	0		d	-0.91	-1.6	-0.2	0.1219	0.68	3	748	3	1.32	3	99.80	3	3	2074	2074	1145537.70	0.00	0.00	1974051.17	99.80	99.80	
Barn Swallow	N	1				d	-0.88		-1.1	-0.6	0	0		d	-0.88	-1.1	-0.6	0.0172	0.26	3	3496	3	12.31	3	76.75	3	3	1784	1784	18835675.00	0.00	0.00	12906107.58	76.75	76.75	
Virginia's Warbler	N	1				d	-0.88		-2.5	0.8	0	0		d	-0.88	-2.5	0.8	0.6973	1.64	3	97	3	1.46	3	100.00	3	3	2029	2029	150131.30	0.00	0.00	281476.04	100.00	100.00	
Blue-winged Warbler	N	1				d	-0.86		-1.8	0.1	0	0		d	-0.86	-1.8	0.1	0.2157	0.91	3	480	3	0.45	2	99.86	3	2	2024	2024	761614.94	0.00	0.00	1787016.21	99.86	99.86	
Rose-breasted Grosbeak	N	1				d	-0.78		-1.3	-0.2	0	0		d	-0.78	-1.3	-0.2	0.0775	0.55	3	1323	3	2.24	3	93.70	3	3	2319	2319	2138140.84						

Common Name (& pops)	SPECIES STATUS		ABA 6th ed. Status Codes		ABA 6th ed. abundance codes		Trend difference score	Absolute Value CBC trend - BBS trend	CBC trend - BBS trend	COMBINED CBC-BBS TRENDS										BBS TRENDS THROUGH 20/04/2005										LIST ORDER		List Order - All sp. no classification	List Order - Cont. sp. no classification	MS Winter Range	% in CBC area	% N. Am. Range covered by CBC	% N. Am. Range covered by BBS	MS Breeding Range	% in BBS area	% N. Am. Range covered by BBS	% N. Am. Range covered by BBS
	ABA 6th ed. Status Codes	ABA 6th ed. abundance codes	Combined trend scores after weighting	Combined trend - weighted	Variance of combined trend	2.5% CI (Co.I. for CBC, Co.I. For BBS)				97.5% CI (Co.I. for CBC, Co.I. For BBS)	Equal weighting score	Percent CBC weighting	BBS Incl/Excl/Stable (sensu PF)	BBS Continental Trend: 1966-2004/05	2.5% CI for BBS	97.5% CI for BBS	Variance - BBS	Precision estimate - BBS	Precision score - BBS	# BBS Routes where species present	Sample size score - BBS	Relative abundance - BBS	Abundance score - BBS	% N. Am. Range covered by BBS	BBS range coverage score	Reliability score for BBS	List Order - All sp. no classification	List Order - Cont. sp. no classification	% N. Am. Range covered by CBC	% N. Am. Range covered by BBS											
Scarlet Tanager	N	1	S	-0.12	-0.5	0.3	0	0	S	-0.12	-0.5	0.3	0.0365	0.37	3	1356	3	1.36	3	99.77	3	2	2148	2148	1808162.45	0.00	0.00	2606631.48	99.77	99.77											
Northern Waterthrush	N	1	S	-0.10	-1.1	0.8	0	0	S	-0.10	-1.1	0.8	0.331	1.13	3	622	3	1.580	3	38.70	2	2	2072	2072	3423967	0.2	0.2	7587498	38.5	38.7	38.7										
Acadian Flycatcher	N	1	S	-0.07	-0.5	0.3	0	0	S	-0.07	-0.5	0.3	0.0408	0.40	3	936	3	1.61	3	99.72	3	3	1549	1549	660947.92	0.00	0.00	2467662.28	99.72	99.72											
Purple Martin	N	1	S	0.00	-0.5	0.4	0	0	S	0.00	-0.5	0.4	0.077	0.54	3	1697	3	4.780	3	92.66	3	3	1764	1764	11687406	0.0	0.0	5732281	92.4	92.7	92.7										
Hermit Warbler	N	1	S	0.06	-1.9	2.0	0	0	S	0.06	-1.9	2	1.0073	1.97	3	123	3	5.52	3	99.00	3	3	2046	2046	564932.08	0.00	0.00	335909.71	99.00	99.00											
Yellow-breasted Chat	N	1	S	0.07	-0.4	0.5	0	0	S	0.07	-0.4	0.5	0.055	0.46	3	1410	3	3.29	3	90.44	3	3	2109	2109	951870.97	0.00	0.00	6161447.37	90.44	90.44											
Black-throated Gray Warbler	N	1	S	0.09	-1.5	1.7	0	0	S	0.09	-1.5	1.7	0.6782	1.61	3	262	3	1.41	3	97.68	3	3	2042	2042	639973.76	0.00	0.00	1796294.21	97.68	97.68											
Cape May Warbler	N	1	S	0.11	-2.2	2.4	0	0	S	0.11	-2.2	2.4	1.3291	2.26	2	206	3	0.77	2	59.82	2	2	2039	2039	614300.98	0.04	0.04	2570758.94	59.82	59.82											
Alder Flycatcher	N	1	S	0.20	-0.3	0.7	0	0	S	0.20	-0.3	0.7	0.070	0.52	3	894	3	5.540	3	44.62	2	2	1550	1550	3414037.14	0.00	0.00	7097517.07	44.22	44.6	44.6										
Summer Tanager	N	1	S	0.24	-0.2	0.7	0	0	S	0.24	-0.2	0.7	0.056	0.46	3	916	3	2.57	3	83.20	3	3	2147	2147	4984802.43	0.00	0.00	3278005.69	83.20	83.20											
Calliope Hummingbird	N	1	S	0.30	-2.2	2.8	0	0	S	0.30	-2.2	2.8	1.6779	2.54	2	110	3	0.28	2	99.79	3	2	1240	1240	196228.92	0.00	0.00	1203378.16	99.79	99.79											
Plumbeous Vireo	N	1	S	0.35	-1.1	1.8	0	0	S	0.35	-1.1	1.8	0.5622	1.47	3	175	3	1.08	3	72.79	3	3	1689	1689	522545.69	9.33	9.33	1297443.82	72.79	72.79											
Western Kingbird	N	1	I	0.49	0.1	0.9	0	0	I	0.49	0.1	0.9	0.0388	0.39	3	1204	3	6.35	3	95.15	3	3	1608	1608	405145.71	5.10	5.10	5072977.00	95.15	95.15											
Scott's Oriole	N	1	I	0.51	-1.3	2.4	0	0	I	0.51	-1.3	2.4	0.8839	1.84	3	143	3	1.43	3	41.48	2	2	2380	2380	662340.82	0.00	0.00	1747872.82	41.48	41.48											
Mississippi Kite	N	1	I	0.55	-2.0	3.2	0	0	I	0.55	-2	3.2	1.7613	2.60	2	196	3	0.64	2	99.54	3	2	432	432	1857050.97	44.38	44.38	827428.60	99.54	99.54											
Cliff Swallow	N	1	I	0.67	0.1	1.3	0	0	I	0.67	0.1	1.3	0.0972	0.61	3	2066	3	16.99	3	71.49	3	3	1782	1782	11772929.10	0.00	0.00	11996469.66	71.49	71.49											
Black-headed Grosbeak	N	1	I	0.70	-0.3	1.7	0	0	I	0.70	-0.3	1.7	0.2549	0.99	3	686	3	2.15	3	79.50	3	3	2320	2320	809142.11	0.03	0.03	4531324.63	79.50	79.50											
Upland Sandpiper	N	1	I	0.70	0.1	1.3	0	0	I	0.70	0.1	1.3	0.103	0.63	3	637	3	2.340	3	85.64	3	3	647	647	3180073	0.0	0.0	3281528	85.5	85.6	85.6										
Hooded Warbler	N	1	I	0.72	-0.9	2.4	0	0	I	0.72	-0.9	2.4	0.716	1.66	3	677	3	1.67	3	99.33	3	3	2091	2091	755234.67	0.00	0.00	2011216.61	99.33	99.33											
Louisiana Waterthrush	N	1	I	0.80	0.0	1.6	0	0	I	0.80	0	1.6	0.162	0.79	3	569	3	0.240	2	100.00	3	2	2073	2073	1736752	0.0	0.0	2415981	99.9	100.0	100.0										
Wilson's Phalarope	N	1	I	0.80	-0.8	2.4	0	0	I	0.80	-0.8	2.4	0.934	1.89	3	297	3	0.960	2	92.59	3	2	730	730	5981504	0.0	0.0	3820361	92.5	92.6	92.6										
Blackburnian Warbler	N	1	I	0.82	0.0	1.7	0	0	I	0.82	0	1.7	0.1905	0.86	3	541	3	1.29	3	85.62	3	3	2047	2047	1917691.95	0.00	0.00	2025928.41	85.62	85.62											
Warbling Vireo	N	1	I	1.01	0.6	1.4	0	0	I	1.01	0.6	1.4	0.0463	0.42	3	2120	3	3.47	3	86.54	3	3	1695	1695	9813060.68	0.00	0.00	9813060.45	86.54	86.54											
Blue Grosbeak	N	1	I	1.01	0.4	1.6	0	0	I	1.01	0.4	1.6	0.0906	0.59	3	1287	3	2.66	3	74.11	3	3	2323	2323	1560666.18	0.13	0.13	5311303.68	74.11	74.11											
Worm-eating Warbler	N	1	I	1.08	-0.5	2.6	0	0	I	1.08	-0.5	2.6	0.6198	1.54	3	394	3	0.34	2	99.73	3	2	2069	2069	906385.11	0.00	0.00	1757208.98	99.73	99.73											
Cassin's Vireo	N	1	I	1.12	0.2	2.0	0	0	I	1.12	0.2	2	0.2007	0.88	3	351	3	2.12	3	99.18	3	3	1690	1690	952590.12	7.97	7.97	923268.06	99.18	99.18											
Yellow-throated Vireo	N	1	I	1.16	0.6	1.8	0	0	I	1.16	0.6	1.8	0.0895	0.59	3	1294	3	0.78	2	99.76	3	2	1688	1688	1482032.30	0.00	0.00	3171578.87	99.76	99.76											
Red-eyed Vireo	N	1	I	1.23	0.9	1.6	0	0	I	1.23	0.9	1.6	0.0313	0.35	3	2485	3	10.62	3	65.40	2	2	1698	1698	11660053.45	0.00	0.00	11747086.14	65.40	65.40											
Magnolia Warbler	N	1	I	1.32	0.5	2.2	0	0	I	1.32	0.5	2.2	0.1821	0.84	3	595	3	5.79	3	59.06	2	2	2038	2038	1117671.75	0.00	0.00	3656134.72	59.06	59.06											
Black-chinned Hummingbird	N	1	I	1.38	0.0	2.7	0	0	I	1.38	0	2.7	0.4826	1.36	3	711	3	0.24	2	86.99	3	2	1235	1235	238000.09	0.00	0.00	2374902.73	86.99	86.99											
Broad-winged Hawk	N	1	I	1.40	0.0	2.8	0	0	I	1.40	0	2.8	0.4784	1.36	3	794	3	0.14	2	93.52	3	2	463	463	6556364.79	0.28	0.28	4867697.43	93.52	93.52											
Fulvous Whistling-Duck	N	1	I	1.40	-8.3	11.1	0	0	I	1.40	-8.3	11.1	22.955	9.39	1	30	2	1.790	3	3.70	1	1	16	16	4220203	1.2	1.2	4315287	3.6	3.7	3.7										
Yellow-bellied Flycatcher	N	1	I	1.48	-0.1	3.1	0	0	I	1.48	-0.1	3.1	0.6549	1.59	3	221	3	1.09	3	47.85	2	2	1548	1548	684369.35	0.00	0.00	5323826.13	47.85	47.85											
Lesser Nighthawk	N	1	I	1.70	-0.7	4.1	0	0	I	1.70	-0.7	4.1	1.4743	2.38	2	136	3	1.75	3	26.85	1	1	1067	1067	9232685.62	0.00	0.00	2116140.43	26.85	26.85											
Hooded Oriole	N	1	I	2.39	-1.2	5.9	0	0	I	2.39	-1.2	5.9	3.2643	3.54	2	75	3	0.39	2	51.48	2	2	2366	2366	514745.55	0.00	0.00	1130732.41	51.48	51.48											
Philadelphia Vireo	N	1	I	2.48	0.4	4.6	0	0	I	2.48	0.4	4.6	1.1315	2.08	2	192	3	1.41	3	76.27	3	2	1697	1697	677085.87	0.00	0.00	2746200.92	76.27	76.27											
Vaux's Swift	N	1	I	2.72	-3.3	8.8	0	0	I	2.72	-3.3	8.8	9.5219	6.05	1	153	3	0.49	2	52.91	2	1	1108	1108	998799.79	0.00	0.00	2226895.52	52.91	52.91											
Swallow-tailed Kite	N	1	I	3.50	0.9	6.0	0	0	I	3.50	0.9	6	1.6933	2.55	2	51	3	0.21	2	2.82	1	1	426	426	11349012.21	0.00	0.00	12045138.23	2.82	2.82											
Hammond's Flycatcher	N	1	I	4.34	11.4158	-2.3	0	0	I	4.34	-2.3	11	11.4158	6.62	1	348	3	3.44	3	73.89	3	1	1556	1556	785542.89	0.00	0.00	2760135.10	73.89	73.89											
Brown-crested Flycatcher	N	1	I	4.45	2.9	6.0	0	0	I	4.45	2.9	6	0.644	1.57	3	62	3	2.75	3	2.35	1	1	1583																		

Common Name (& pops)	SPECIES STATUS		ABA 6th ed. Status Codes		ABA 6th ed. abundance codes		Trend difference score	Absolute Value CBC trend - BBS trend		CBC trend - BBS trend		COMBINED CBC-BBS TRENDS										BBS TRENDS THROUGH 20/04/2005										LIST ORDER										MS Winter Range	% in CBC area	% N. Am. Range covered by CBC	% N. Am. Range covered by BBS	MS Breeding Range	% in BBS area	% N. Am. Range covered by BBS	% N. Am. Range covered by BBS
	ABA 6th ed. Status Codes	ABA 6th ed. abundance codes	Absolute Value CBC trend - BBS trend	CBC trend - BBS trend	Combined trend scores after weighting	Combined trend - weighted		Variance of combined trend	2.5% CI (Co.I. for CBC, Co.I. For BBS)	97.5% CI (Co.I. for CBC, Co.I. For BBS)	Equal weighting score	Percent CBC weighting	BBS Trend	BBS Incl/Excl/Stable (sensa PF)	BBS Continental Trend: 1966-2004/05	2.5% CI for BBS	97.5% CI for BBS	Variance - BBS	Precision estimate - BBS	Precision score - BBS	# BBS Routes where species present	Sample size score - BBS	Relative abundance - BBS	Abundance score - BBS	% N. Am. Range covered by BBS	BBS range coverage score	Reliability score for BBS	List Order - All sp. no classification	List Order - Cont. sp. no classification																				
Violet-green Swallow	N	1	0	5.43	-5.43	i	0.61	0.32	-0.5	1.7	0	0.1	i	0.62	-0.5	1.7	0.3233	1.11	3	669	3	4.2	3	62.30	2	2	1774	1774	1141972.80	0.06	0.06	6106871.51	62.30	62.30															
Black-throated Blue Warbler	N	1	3	0.18	0.18	i	1.03	0.67	-0.6	2.6	0	0.1	i	1.02	-0.6	2.6	0.6724	1.61	3	452	3	1.02	3	98.96	3	3	2040	2040	363800.44	1.81	1.81	1147932.10	98.96	98.96															
Broad-tailed Hummingbird	N	1	0	7.01	7.01	S	-0.20	0.35	-1.4	1.0	0	0.2	S	-0.21	-1.4	1	0.3552	1.17	3	194	3	1.99	3	62.75	2	2	1243	1243	260305.80	0.16	0.16	697700.41	62.75	62.75															
Western Tanager	N	1	3	0.33	-0.33	i	1.03	0.13	0.3	1.7	0	0.5	i	1.03	0.3	1.7	0.131	0.71	3	691	3	4.32	3	80.67	3	3	2149	2149	982222.69	0.54	0.54	3659860.89	80.67	80.67															
Northern Parula	N	1	3	0.91	-0.91	i	0.56	0.13	-0.1	1.3	0	0.7	i	0.57	-0.1	1.3	0.1274	0.70	3	1137	3	1.4	3	96.56	3	3	2034	2034	607469.75	0.90	0.90	3360259.49	96.56	96.56															
American Redstart	N	1	2	1.41	1.41	d	-0.70	0.18	-1.5	0.1	0	0.9	d	-0.72	-1.6	0.1	0.1817	0.84	3	1368	3	2.98	3	80.74	3	3	2067	2067	3720369.74	0.87	0.87	6673122.50	80.74	80.74															
Black-throated Green Warbler	N	1	0	7.22	7.22	d	-1.55	5.62	-6.2	3.1	0	1.0	d	-1.62	-6.3	3.1	5.7388	4.70	2	707	3	2.72	3	67.03	3	2	2044	2044	1485514.07	0.89	0.89	3315741.97	67.03	67.03															
Ruby-throated Hummingbird	N	1	1	2.75	2.75	i	2.48	0.11	1.8	3.1	0	1.1	i	2.45	1.8	3.1	0.1097	0.65	3	1596	3	0.41	2	98.21	3	2	1234	1234	899177.50	1.22	1.22	4941428.38	98.21	98.21															
Yellow Warbler	N	1	2	1.61	-1.61	S	0.21	0.02	-0.1	0.5	0	1.1	S	0.19	-0.1	0.4	0.0179	0.26	3	2601	3	4.25	3	56.09	2	2	2036	2036	3464873.11	0.80	0.80	15240143.60	56.09	56.09															
Great Crested Flycatcher	N	1	3	0.65	-0.65	S	0.07	0.02	-0.2	0.4	0	1.2	S	0.07	-0.2	0.4	0.0244	0.31	3	2210	3	3.13	3	99.38	3	3	1582	1582	1280083.81	1.50	1.50	5140045.58	99.38	99.38															
Solitary Sandpiper	N	1	0	6.20	6.20	D	-5.94	2.31	-8.9	-3.0	0	2.6	d	-6.10	-13.5	1.3	2.428	3.05	2	19	2	0.040	1	25.42	1	1	627	627	16712332	0.6	0.6	5475882	25.4	25.4	25.4	25.4													
Lazuli Bunting	N	1	1	2.64	-2.64	i	1.23	0.95	-0.7	3.1	0	2.6	i	1.30	-0.7	3.3	0.9986	1.96	3	502	3	1.15	3	99.22	3	3	2324	2324	339905.02	3.33	3.33	2825627.65	99.22	99.22															
Cassin's Kingbird	N	1	0	9.18	9.18	S	0.32	1.19	-1.8	2.5	0	3.2	S	0.02	-2.2	2.2	1.2651	2.20	2	173	3	1.77	3	34.78	2	2	1606	1606	691722.37	1.28	1.28	1442350.67	34.78	34.78															
Painted Bunting	N	1	3	0.15	0.15	d	-1.61	0.32	-2.7	-0.5	0	3.2	d	-1.61	-2.8	-0.5	0.3455	1.15	3	359	3	5.73	3	80.03	3	3	2329	2329	1212418.21	2.96	2.96	1414311.63	80.03	80.03															
Allen's Hummingbird	N	1	0	17.79	17.79	d	-1.26	3.59	-5.0	2.5	0	4.1	d	-1.99	-5.9	1.9	3.9029	3.87	2	36	2	0.66	2	95.69	3	2	1245	1245	31493.76	4.07	4.07	31493.76	95.69	95.69															
Ovenbird	N	1	3	0.47	-0.47	S	0.37	0.02	0.1	0.6	0	4.8	S	0.40	0.1	0.7	0.0201	0.28	3	1482	3	6.79	3	84.17	3	3	2071	2071	1674788.89	5.25	5.25	5218695.42	84.17	84.17															
Osprey	N	1	2	1.00	1.00	i	6.36	0.62	4.8	7.9	0	5.6	i	6.30	4.8	7.7	0.696	1.64	3	436	3	0.180	2	48.28	2	2	422	422	16735373	2.8	2.9	9424752	47.7	48.3	48.3	48.3													
Yellow-crowned Night-Heron	N	1	2	1.40	1.40	d	-1.10	3.42	-4.6	2.6	0	6.5	d	-1.10	-4.6	2.4	3.907	3.87	2	175	3	0.310	2	42.90	2	2	385	385	2562842	2.6	2.7	4215465	42.6	42.9	42.9	42.9													
Clay-colored Sparrow	N	1	0	4.93	-4.93	d	-1.56	0.10	-2.2	-0.9	0	6.9	d	-1.22	-1.8	-0.6	0.0878	0.58	3	520	3	7.44	3	80.02	3	3	2257	2257	1207377.63	8.27	8.27	3213925.74	80.02	80.02															
Least Bittern	N	1	2	1.90	1.90	S	-0.47	1.48	-2.9	1.9	0	6.9	d	-0.60	-3.6	2.5	1.691	2.55	2	41	2	0.080	1	50.73	2	1	333	333	4237613	3.7	3.8	6246652	50.73	50.7	50.7	50.7													
Nashville Warbler	N	1	1	2.64	-2.64	i	2.64	2.59	-0.5	5.8	0	7.6	i	2.84	-0.6	6.2	3.0136	3.40	2	811	3	6.43	3	80.62	3	2	2028	2028	924445.95	8.26	8.26	2770838.69	80.62	80.62															
Northern Rough-winged Swallow	N	1	1	2.70	2.70	S	-0.48	1.37	-2.8	1.8	0	8.2	d	-0.70	-2.7	1.2	1.077	2.03	2	2215	3	1.570	3	88.96	3	2	1779	1779	1494513	14.3	14.7	10005444	88.6	89.0	89.0	89.0													
Spotted Sandpiper	N	1	2	1.40	1.40	d	-0.67	0.37	-1.9	0.5	0	9.6	d	-0.80	-1.9	0.4	0.443	1.30	3	1007	3	0.430	2	59.69	2	2	626	626	19553676	6.3	6.4	13611830	59.3	59.7	59.7	59.7													
Black-and-white Warbler	N	1	2	1.30	1.30	S	-0.47	0.07	-1.0	0.1	1	10.1	d	-0.60	-1.2	0	0.09	0.59	3	1206	3	1.63	3	74.54	3	3	2066	2066	3254072.73	9.35	9.35	5383787.58	74.54	74.54															
Cinnamon Teal	N	1	2	1.70	1.70	d	-0.61	0.69	-2.2	1.0	1	11.0	d	-0.80	-2.1	0.5	0.447	1.31	3	247	3	0.530	2	48.80	2	2	92	92	6279681	8.5	8.6	6925586	48.7	48.8	48.8	48.8													
Wilson's Warbler	N	1	2	1.46	1.46	d	-1.47	0.19	-2.3	-0.6	1	12.0	d	-1.64	-2.5	-0.8	0.2027	0.88	3	560	3	1.48	3	30.61	1	1	2092	2092	1372897.28	5.20	5.20	7937156.23	30.61	30.61															
Ash-throated Flycatcher	N	1	3	0.44	0.44	i	1.01	0.12	0.3	1.7	1	12.0	i	0.96	0.2	1.7	0.1328	0.71	3	527	3	5.07	3	70.20	3	3	1580	1580	929500.92	10.60	10.60	3508001.41	70.20	70.20															
Yellow-headed Blackbird	N	1	2	1.38	-1.38	i	0.73	1.24	-1.5	2.9	1	12.3	i	0.90	-0.3	2.1	0.543	1.44	3	679	3	9.590	3	96.59	3	3	2342	2342	1697037	25.0	25.1	4756431	96.6	96.6	96.6	96.6													
Anhinga	N	1	2	1.90	1.90	i	1.14	2.98	-2.2	4.5	1	12.8	i	0.90	-2.8	4.7	3.916	3.88	2	108	3	0.320	2	3.86	1	1	323	323	14272680	0.4	0.5	14779834	3.8	3.9	3.9	3.9													
Bronzed Cowbird	N	1	2	1.17	1.17	S	0.38	2.21	-2.5	3.3	1	12.9	S	0.23	-3	3.5	2.7458	3.25	2	71	3	1.87	3	10.30	1	1	2355	2355	1845398.34	1.69	1.69	2403134.45	10.30	10.30															
Long-billed Curlew	N	1	2	1.50	1.50	d	-1.40	0.56	-2.9	0.1	1	13.3	d	-1.60	-3.4	0.2	0.695	1.63	3	257	3	1.390	3	100.00	3	3	657	657	1636664	15.0	15.4	1832546	100.0	100.0	100.0	100.0													
Blue-winged Teal	N	1	1	3.60	3.60	S	-0.04	0.53	-1.5	1.4	1	15.5	d	-0.60	-1.8	0.5	0.322	1.11	3	654	3	1.750	3	78.74	3	3	91	91	5466645	17.9	18.1	8505894	78.5	78.7	78.7	78.7													
Chuck-will's-widow	N	1	2	1.42	-1.42	d	-1.85	0.12	-2.5	-1.2	1	15.9	d	-1.63	-2.4	-0.8	0.1584	0.78	3	589	3	1.38	3	99.58	3	3	1078	1078	415454.39	23.46	23.46	1721546.20	99.58	99.58															
Laughing Gull	N	1	1	2.50	2.50	i	4.20	1.44	1.8	6.6	1	16.2	i	3.80	0.6	7	2.031	2.79	2	129	3	25.070	3	81.32	3	2	746	746	3393524	7.4	15.7	1035208	29.1	81.3	81.3	81.3													
American Avocet	N	1	1	2.80	2.80	S	0.47	1.23	-1.7	2.6	1	16.7	S	0.00	-2.7	2.6	1.658	2.52	2	234	3	1.450	3	93.23	3	2	620	620	1401869	18.2	18.7	2458915	93.2	93.2	93.2	93.2													
Forster's Tern (CBC includes COTE)	N	1	1	2.50	2.50	i	1.04	0.50	-0.3	2.4	1	17.8	i	0.60	-0.8	2.1	0.706	1.65	3	129	3	0.330	2	99.89	3	2	800	800	3178877	29.3	19.4	1801688	93.0	99.9	99.9	99.9													
Snowy Egret	N	1	3	0.80	-0.80	i	4.76	1.17	2.6	6.9	1	17.9	i	4.90	2.1	7.7	1.725	2.57	2	264	3	0.930	2	12.34	1	1	355	355	17835338	2.4	2.4	17695885	12.3	12.3	12.3	12.3													
Sora	N	1	3	0.60	-0.60	S	-0.29	1.05	-2.3	1.7	1	18.1	S	-0.40	-1.5	0.7	0.324	1.11	3	499	3	0.840	2	75.02	3	2	539	539	4646721	23.4	23.7	9796087	74.8	75.0	75.0	75.0													
Gray Vireo	N	2	0	6.57	-6.57	S	0.45	4.13	-3.5	4.4	1	18.2	i	1.64	-2.7	6	4.858																																

Common Name (& pops)	SPECIES STATUS		ABA 6th ed. Status Codes		ABA 6th ed. abundance codes		Trend difference score		Absolute Value CBC trend - BBS trend		CBC trend - BBS trend		COMBINED CBC-BBS TRENDS							BBS TRENDS THROUGH 2004/2005							LIST ORDER		MS Winter Range		% in CBC area		% N. Am. Range covered by CBC		% N. Am. Range covered by BBS		MS Breeding Range		% in BBS area		% N. Am. Range covered by BBS	
	ABA 6th ed. Status Codes	ABA 6th ed. abundance codes	Trend difference score	Absolute Value CBC trend - BBS trend	CBC trend - BBS trend	Combined trend scores after weighting	Combined trend - weighted	Variance of combined trend	2.5% CI (Co.I. for CBC, Co.I. For BBS)	97.5% CI (Co.I. for CBC, Co.I. For BBS)	Equal weighting score	Percent CBC weighting	BBS Incl/Excl/Stable (sensu PF)	BBS Continental Trend: 1966-2004/05	2.5% CI for BBS	97.5% CI for BBS	Variance - BBS	Precision estimate - BBS	Precision score - BBS	# BBS Routes where species present	Sample size score - BBS	Relative abundance - BBS	Abundance score - BBS	% N. Am. Range covered by BBS	BBS range coverage score	Reliability score for BBS	List Order - All sp. no classification	List Order - Cont. sp. no classification	MS Winter Range	% in CBC area	% N. Am. Range covered by CBC	% N. Am. Range covered by BBS	MS Breeding Range	% in BBS area	% N. Am. Range covered by BBS							
Black-necked Stilt	N	1	0	9.90	9.90	I	2.49	4.68	-1.7	6.7	2	21.1	S	0.40	-4.5	5.2	7.320	5.30	2	125	3	13.28	1	1	617	617	8535689	3.2	3.2	3.2	9570152	13.2	13.3	13.3								
Turkey Vulture	N	1	1	3.02	3.02	I	2.43	0.07	1.9	3.0	2	21.3	I	1.78	1.1	2.4	0.1104	0.65	3	2242	3	2.5	28.80	1	1	410	410	21850842.75	7.81	7.81	7.81	28313706.26	28.80	28.80	28.80							
Yellow-throated Warbler	N	1	2	1.72	-1.72	I	0.58	0.14	-0.2	1.3	2	21.7	I	0.95	0	1.9	0.2149	0.91	3	496	3	0.66	99.37	3	2	2048	2048	807544.25	27.50	27.50	27.50	1933234.54	99.37	99.37	99.37							
Black-chinned Sparrow	N	1	0	5.21	5.21	D	-4.29	1.72	-6.9	-1.7	2	22.0	D	-5.44	-8.7	-2.2	2.7422	3.25	2	58	3	0.69	47.26	2	2	2261	2261	983800.96	13.30	13.30	13.30	807801.54	47.26	47.26	47.26							
Common Poorwill	N	1	0	6.97	-6.97	S	-0.20	2.69	-3.4	3.0	2	22.7	I	1.39	-2.5	5.3	3.912	3.88	2	164	3	0.13	77.39	3	2	1072	1072	1257143.55	25.27	25.27	25.27	4392721.48	77.39	77.39	77.39							
Green Heron	N	1	2	1.10	1.10	d	-0.74	0.03	-1.1	-0.4	2	23.9	d	-1.00	-1.4	-0.5	0.049	0.43	3	1677	3	0.710	60.00	2	2	374	374	4770884	18.6	18.8	18.8	7950036	59.7	60.0	60.0							
Caspian Tern	N	1	1	3.40	-3.40	I	2.48	1.53	0.1	4.9	2	24.2	I	3.30	0.8	5.8	2.591	3.16	2	90	3	0.160	78.20	3	2	795	795	1536201	11.9	22.4	22.4	481902	56.0	78.2	78.2							
Blue-gray Gnatcatcher	N	1	3	0.60	0.60	I	0.65	0.05	0.2	1.1	2	24.3	I	0.50	0	1	0.0732	0.53	3	1539	3	2.2	73.44	3	3	1883	1883	3006701.48	23.57	23.57	23.57	6599891.99	73.44	73.44	73.44							
Little Blue Heron	N	1	1	2.30	2.30	d	-1.94	0.81	-3.7	-0.2	2	24.5	D	-2.50	-4.7	-0.3	1.400	2.32	2	417	3	1.830	17.43	1	1	359	359	6207606	5.5	5.7	5.7	5664405	17.3	17.4	17.4							
Common Yellowthroat	N	1	3	0.20	0.20	S	-0.35	0.02	-0.6	-0.1	2	24.8	S	-0.40	-0.7	-0.1	0.012	0.22	3	2950	3	7.400	76.33	3	3	2078	2078	3549972	24.9	25.2	25.2	11123587	76.0	76.3	76.3							
Gray Catbird	N	1	2	1.45	1.45	S	0.32	0.01	0.1	0.6	2	25.6	S	-0.05	-0.3	0.2	0.0177	0.26	3	2271	3	2.43	99.67	3	3	1966	1966	1662421.59	38.11	38.11	38.11	6829697.48	99.67	99.67	99.67							
Willet	N	1	2	1.30	1.30	S	-0.26	0.12	-0.9	0.4	2	26.1	S	-0.60	-1.5	0.2	0.156	0.77	3	320	3	1.430	100.00	3	3	630	630	1498799	34.5	35.4	35.4	1877879	99.7	100.0	100.0							
Green-tailed Towhee	N	1	3	0.42	-0.42	S	-0.35	0.16	-1.1	0.4	2	26.2	S	-0.24	-1.2	0.7	0.2187	0.92	3	332	3	3.24	99.58	3	3	2232	2232	2361146.45	39.37	39.37	39.37	1739768.34	99.58	99.58	99.58							
Peregrine Falcon	N	1	0	5.03	-5.03	I	8.59	3.12	5.1	12.1	2	26.7	I	9.93	5.2	14.6	5.7829	4.71	2	22	2	0.01	36.59	2	1	501	501	23458389.23	13.31	13.31	13.31	8873295.75	36.59	36.59	36.59							
Lark Sparrow	N	1	3	0.60	-0.60	D	-2.43	0.13	-3.1	-1.7	2	27.9	D	-2.26	-3	-1.5	0.1524	0.77	3	1153	3	3.98	91.43	3	3	2263	2263	2357652.82	35.37	35.37	35.37	5613425.92	91.43	91.43	91.43							
Great Egret	N	1	1	2.10	2.10	I	2.59	0.87	0.8	4.4	2	28.0	I	2.00	0.4	3.5	1.644	2.51	2	586	3	1.650	11.29	1	1	349	349	19081394	4.3	4.4	4.4	18646980	11.2	11.3	11.3							
Black-crowned Night-Heron	N	1	3	0.40	-0.40	I	3.49	1.98	0.7	6.2	2	28.0	I	3.60	-0.2	7.5	3.776	3.81	2	314	3	0.230	31.71	1	1	382	382	17035591	9.9	10.0	10.0	19942193	31.6	31.7	31.7							
Burrowing Owl	N	1	1	2.53	2.53	d	-1.61	5.48	-6.2	3.0	2	28.2	d	-2.33	-8.7	4	10.5802	6.38	1	331	3	0.52	31.21	1	1	1044	1044	11793597.00	9.80	9.80	9.80	14246013.72	31.21	31.21	31.21							
Lark Bunting	N	1	0	4.12	-4.12	D	-2.69	0.44	-4.0	-1.4	2	28.3	D	-1.53	-2.4	-0.6	0.206	0.89	3	381	3	33	100.00	3	3	2267	2267	1738167.82	43.92	43.92	43.92	1830043.98	100.00	100.00	100.00							
Vermilion Flycatcher	N	1	1	2.63	2.63	d	-1.28	2.70	-4.5	1.9	2	28.4	d	-2.03	-6.5	2.5	5.2206	4.48	2	64	3	0.76	9.75	1	1	1568	1568	13366214.29	3.49	3.49	3.49	7092176.39	9.75	9.75	9.75							
Gull-billed Tern	N	1	2	1.41	-1.41	I	1.00	13.52	-6.2	8.2	2	29.0	I	1.41	-8.5	11.4	25.7882	9.95	1	20	2	0.43	22.94	1	1	794	794	2275017	4.9	9.4	9.4	1722339	10.1	22.9	22.9							
California Gull	N	1	0	5.70	5.70	I	0.78	3.49	-2.9	4.4	2	29.4	d	-0.90	-5.2	3.4	4.579	4.19	2	209	3	3.560	75.88	3	2	758	758	894484	6.4	35.1	35.1	1994748	75.9	75.9	75.9							
Brewer's Sparrow	N	1	1	3.06	3.06	d	-1.56	0.34	-2.7	-0.4	2	29.6	D	-2.46	-3.6	-1.4	0.3187	1.11	3	501	3	7.88	94.60	3	3	2258	2258	1473869.61	39.76	39.76	39.76	3229171.31	94.60	94.60	94.60							
Williamson's Sapsucker	N	1	3	0.46	0.46	S	-0.02	0.66	-1.6	1.6	2	29.8	S	-0.16	-2.3	2	1.2238	2.17	2	98	3	0.24	100.00	3	2	1349	1349	748185.68	47.24	47.24	47.24	649971.34	100.00	100.00	100.00							
Common Moorhen	N	1	1	3.10	3.10	I	1.23	1.14	-0.9	3.3	2	29.8	S	0.30	-2.9	3.4	2.282	2.96	2	122	3	0.530	28.77	1	1	548	548	11946490	9.8	9.9	9.9	13626807	28.7	28.8	28.8							
Grasshopper Sparrow	N	1	0	5.07	5.07	D	-2.58	0.15	-3.3	-1.8	3	30.2	D	-3.78	-4.6	-3	0.169	0.81	3	1608	3	3.85	96.37	3	3	2269	2269	3411740.76	37.03	37.03	37.03	5223980.17	96.37	96.37	96.37							
Sprague's Pipit	N	2	2	1.68	1.68	D	-3.70	0.44	-5.0	-2.4	3	30.2	D	-4.13	-5.8	-2.4	0.7393	1.69	3	157	3	1.84	99.91	3	3	2008	2008	1693912.67	43.32	43.32	43.32	1160315.61	99.91	99.91	99.91							
White-winged Dove	N	1	0	16.94	16.94	I	6.70	0.71	5.0	8.3	3	30.3	I	1.56	-0.4	3.6	1.0508	2.01	2	154	3	8.43	57.36	2	2	888	888	577100.96	24.96	24.96	24.96	1262230.72	57.36	57.36	57.36							
Greater Yellowlegs	N	1	0	10.50	-10.50	I	9.97	9.97	3.8	16.2	3	30.7	I	13.20	1.8	24.7	20.749	8.93	1	23	2	0.210	28.45	1	1	629	629	21489140	5.1	5.6	5.6	4132509	27.7	28.4	28.4							
White-eyed Vireo	N	1	3	0.94	0.94	I	0.55	0.04	0.2	0.9	3	31.0	S	0.26	-0.1	0.6	0.0361	0.37	3	1116	3	4.98	92.13	3	3	1670	1670	1253417.08	46.00	46.00	46.00	3041763.23	92.13	92.13	92.13							
Band-tailed Pigeon	N	1	2	1.54	1.54	d	-1.36	0.38	-2.6	-0.2	3	31.6	d	-1.85	-3.2	-0.5	0.4816	1.36	3	227	3	1.66	46.28	2	2	878	878	2340119.59	23.80	23.80	23.80	3319904.77	46.28	46.28	46.28							
Chestnut-collared Longspur	N	1	1	3.59	-3.59	D	-4.01	0.83	-5.8	-2.2	3	31.9	D	-2.87	-4.3	-1.5	0.514	1.41	3	156	3	8.98	100.00	3	3	2294	2294	1441050.38	65.17	65.17	65.17	799015.82	100.00	100.00	100.00							
Sage Thrasher	N	1	3	0.25	0.25	d	-0.63	0.20	-1.5	0.3	3	32.0	d	-0.71	-1.7	0.2	0.2321	0.94	3	331	3	8.3	100.00	3	3	1971	1971	1632036.01	52.23	52.23	52.23	1756284.44	100.00	100.00	100.00							
Eared Grebe	N	1	0	6.54	-6.54	I	3.21	3.71	-0.6	7.0	3	32.0	I	5.30	0.6	10.1	7.900	5.51	2	134	3	1.050	92.14	3	2	224	224	359														

Common Name (& pops)	SPECIES STATUS		ABA 6th ed. Status Codes		ABA 6th ed. abundance codes		Trend difference score		Absolute Value CBC trend - BBS trend		CBC trend - BBS trend		COMBINED CBC-BBS TRENDS										BBS TRENDS THROUGH 2004/2005										LIST ORDER		MS Winter Range		% in CBC area		% N. Am. Range covered by CBC		% N. Am. Range covered by BBS		MS Breeding Range		% in BBS area		% N. Am. Range covered by BBS	
	ABA 6th ed. Status Codes	ABA 6th ed. abundance codes	Trend difference score	Absolute Value CBC trend - BBS trend	CBC trend - BBS trend	Combined trend scores after weighting	Combined trend - weighted	Variance of combined trend	2.5% CI (Co.I. for CBC, Co.I. For BBS)	97.5% CI (Co.I. for CBC, Co.I. For BBS)	Equal weighting score	Percent CBC weighting	BBS Incl/Excl/Stable (sensus PF)	BBS Continental Trend: 1966-2004/05	2.5% CI for BBS	97.5% CI for BBS	Variance - BBS	Precision estimate - BBS	Precision score - BBS	# BBS Routes where species present	Sample size score - BBS	Relative abundance - BBS	Abundance score - BBS	% N. Am. Range covered by BBS	BBS range coverage score	Reliability score for BBS	List Order - All sp. no classification	List Order - Cont. sp. no classification	MS Winter Range	% in CBC area	% N. Am. Range covered by CBC	% N. Am. Range covered by BBS	MS Breeding Range	% in BBS area	% N. Am. Range covered by BBS													
Black-throated Sparrow	N	1	1	2.78	2.78	D	-2.48	0.56	-3.9	-1.0	3	37.7	D	-3.53	-5.2	-1.8	0.7569	1.71	3	329	11.17	3	57.15	2	2	2264	2264	1608639.50	34.62	34.62	2454570.39	57.15	57.15															
Bendire's Thrasher	N	2	2	1.14	-1.14	D	-5.76	1.86	-8.4	-3.1	3	37.8	D	-5.33	-9.4	-1.2	4.4013	4.11	2	44	0.35	2	81.46	3	2	1977	1977	284783.34	49.42	49.42	776768.75	81.46	81.46															
Vesper Sparrow	N	1	3	0.23	0.23	d	-0.92	0.07	-1.5	-0.4	3	37.8	d	-1.01	-1.5	-0.5	0.0559	0.46	3	1707	7.98	3	95.33	3	3	2262	2262	3644866.57	57.91	57.91	6369788.48	95.33	95.33															
Sedge Wren	N	1	3	0.90	-0.90	I	1.56	0.16	0.8	2.3	3	37.9	I	1.90	0.9	2.8	0.288	1.05	3	386	1.230	3	28.43	1	1	1853	1853	6151813	17.2	17.3	6552059	28.4	28.4															
Black-bellied Whistling-Duck	N	1	0	16.60	16.60	I	12.78	5.51	8.2	17.4	3	39.0	I	6.30	0.7	11.8	10.269	6.28	1	55	2.010	3	0.72	0	0	14	14	9204678	0.5	0.5	9353448	0.7	0.7															
American Coot	N	1	3	0.19	0.19	d	-0.72	4.13	-4.7	3.3	3	39.9	d	-0.80	-2.2	0.7	0.528	1.42	3	585	2.110	3	77.15	3	2	553	553	7372263	63.6	64.1	10608095	77.0	77.1															
Boreal Chickadee	N	1	3	0.30	-0.30	D	-3.25	0.50	-4.6	-1.9	4	40.1	D	-3.14	-5.4	-0.9	1.2843	2.22	2	175	0.36	2	27.27	1	1	1792	1792	7084887.90	18.25	18.25	7084887.90	27.27	27.27															
Say's Phoebe	N	1	3	0.80	-0.80	i	1.28	0.21	0.4	2.2	4	40.6	I	1.60	0.1	3.1	0.5693	1.48	3	661	0.9	2	61.51	2	2	1567	1567	2569426.18	37.91	37.91	7200470.19	61.51	61.51															
Cassin's Finch	N	1	1	3.53	3.53	d	-1.27	0.48	-2.6	0.1	4	41.2	D	-2.73	-4.2	-1.2	0.5998	1.52	3	330	1.64	3	99.97	3	2	2417	2417	2646008.57	77.87	77.87	1503096.53	99.97	99.97															
Lawrence's Goldfinch	N	2	1	3.18	3.18	S	0.24	2.85	-3.3	3.3	4	41.3	S	-1.28	-4.6	2	2.801	3.28	2	56	0.63	2	82.71	3	2	2432	2432	336614.87	58.21	58.21	139669.15	82.71	82.71															
Marsh Wren	N	1	1	2.40	-2.40	I	2.31	0.35	1.1	3.5	4	41.3	I	3.30	1.5	5.1	0.915	1.88	3	402	0.760	2	97.65	3	2	1854	1854	4307745	61.5	61.9	4856240	97.4	97.6															
Ferruginous Hawk	N	1	3	0.29	-0.29	I	2.37	0.34	1.2	3.5	4	41.5	I	2.49	0.6	4.4	0.9254	1.89	3	246	0.25	2	100.00	3	2	471	471	2866055.86	70.95	70.95	2441154.91	100.00	100.00															
Western Bluebird	N	1	2	1.50	-1.50	i	0.53	0.27	-0.5	1.5	4	41.5	S	-0.10	-1.5	1.3	0.5132	1.40	3	286	1.3	3	67.37	3	3	1907	1907	1914233.09	47.87	47.87	1784780.74	67.37	67.37															
Gadwall	N	1	3	0.50	0.50	I	4.61	0.25	3.6	5.6	4	42.2	I	4.40	3.3	5.6	0.357	1.17	3	444	1.830	3	99.64	3	3	77	77	6452371	72.1	72.8	4478387	99.3	99.6															
Gray Jay	N	1	3	0.82	-0.82	S	-0.52	0.15	-1.3	0.2	4	42.4	S	-0.17	-1.4	1	0.3748	1.20	3	402	0.93	2	35.97	2	2	1711	1711	7285591.55	26.45	26.45	7285591.55	35.97	35.97															
Rock Wren	N	1	2	1.20	1.20	d	-1.32	0.08	-1.9	-0.8	4	42.4	d	-1.83	-2.6	-1	0.1628	0.79	3	654	1.82	3	74.04	3	3	1823	1823	3107454.06	54.58	54.58	5434410.08	74.04	74.04															
*Yellow-bellied Sapsucker (3-sp lumped)				0.24	-0.24	i	0.64	0.06	0.2	1.1	4	42.7	i	0.74	-0.1	1.5	0.1632	0.79	3	1151	1.63	3	71.45	3	3	1353	1353	6947636.21	53.24	53.24	7541476.12	71.45	71.45															
Black-backed Woodpecker	N	2	3	0.90	0.90	S	0.10	-2.8	3	2.2599	2.95	2	83	3	0.06	1	48.25	2	1	83	0.06	1	48.25	2	1	1364	1364	6758554.21	36.34	36.34	6758554.21	48.25	48.25															
Northern Shoveler	N	1	2	1.00	1.00	i	1.93	1.32	-0.3	4.2	4	43.0	I	1.50	0.2	2.9	0.546	1.45	3	341	1.160	3	57.22	2	2	93	93	5171693	47.5	48.0	7930392	57.1	57.2															
Brewer's Blackbird	N	1	2	1.18	-1.18	d	-1.77	0.06	-2.2	-1.3	4	43.5	d	-1.26	-1.9	-0.7	0.0934	0.60	3	1265	15.52	3	97.61	3	3	2346	2346	6144684.47	75.03	75.03	4751849.03	97.61	97.61															
Palm Warbler	N	1	1	2.80	-2.80	I	2.58	49.74	-11.2	16.4	4	43.6	I	3.80	1.4	6.1	2.520	3.11	2	71	0.110	2	42.33	2	2	2058	2058	812959	47.9	49.2	3361891	42.0	42.3															
Pied-billed Grebe	N	1	3	0.40	0.40	i	1.27	0.41	0.0	2.5	4	43.7	i	1.10	-0.7	2.9	1.253	2.19	2	495	0.280	2	45.61	2	2	220	220	15019778	31.7	31.8	21093287	45.5	45.6															
Brown-headed Cowbird	N	1	3	0.78	-0.78	d	-1.50	0.09	-2.1	-0.9	4	43.8	d	-1.16	-1.4	-0.9	0.0147	0.24	3	3724	12.53	3	87.74	3	3	2356	2356	5331485.61	68.38	68.38	11255147.30	87.74	87.74															
American Three-toed Woodpecker	N	2	0	13.06	-13.06	I	7.19	2.91	3.8	10.5	4	43.9	I	12.92	7.1	18.8	8.9509	5.86	2	40	0.05	1	33.55	2	1	1363	1363	7879879.64	26.26	26.26	7879879.64	33.55	33.55															
Sage Sparrow	N	1	1	2.18	-2.18	d	-0.55	0.68	-2.2	1.1	4	44.1	S	0.41	-2.1	3	1.6818	2.54	2	238	4.93	3	94.74	3	2	2265	2265	1025406.46	74.85	74.85	1090938.71	94.74	94.74															
Chihuahuan Raven	N	1	2	1.90	1.90	S	-0.26	1.50	-2.7	2.1	4	44.2	d	-1.10	-3.4	1.2	1.3211	2.25	2	120	3.4	3	48.44	2	2	1749	1749	1513858.73	38.40	38.40	1199977.24	48.44	48.44															
Fish Crow	N	1	3	0.30	0.30	i	0.93	3.25	-2.6	4.5	4	44.4	i	0.80	-0.3	1.9	0.303	1.08	3	555	3.080	3	99.99	3	3	1747	1747	973495	98.9	100.0	973495	98.8	100.0															
Swamp Sparrow	N	1	1	2.02	-2.02	i	0.60	18.10	-7.7	8.9	4	44.7	I	1.50	0.6	2.3	0.157	0.78	3	820	1.480	3	57.45	2	2	2282	2282	4079215	77.1	77.4	6025091	57.1	57.4															
Western Meadowlark	N	1	2	1.90	-1.90	d	-1.79	0.03	-2.1	-1.4	4	45.0	d	-0.93	-1.3	-0.6	0.0351	0.37	3	1667	42.54	3	91.92	3	3	2341	2341	5543920.78	75.34	75.34	6724241.55	91.92	91.92															
Loggerhead Shrike	N	1	2	1.39	1.39	D	-3.07	0.04	-3.5	-2.7	4	45.4	D	-3.70	-4.4	-3	0.1257	0.69	3	1505	1.62	3	84.34	3	3	1664	1664	5697054.94	70.23	70.23	8876437.28	84.34	84.34															
Killdeer	N	1	3	0.10	0.10	S	-0.45	0.02	-0.7	-0.2	4	45.5	S	-0.50	-0.9	-0.2	0.021	0.28	3	3414	5.410	3	72.79	3	3	606	606	8940735	60.4	60.7	14116284	72.5	72.8															
White Ibis	N	1	1	2.30	2.30	I	4.95	0.84	3.2	6.7	4	45.5	I	3.90	1	6.9	2.201	2.91	2	182	5.990	3	27.47	1	1	393	393	1265518	22.3	22.9	1056657	26.7	27.5															
Lewis's Woodpecker	N	1	3	0.24	-0.24	d	-1.96	0.77	-3.7	-0.2	4	45.6	d	-1.85	-4.7	1	2.1327	2.86	2	85	0.14	2	99.73	3	2	1331	1331	2557826.46	92.86	92.86	2077368.49	99.73	99.73															
Mountain Bluebird	N	1	3	0.74	-0.74	i	1.00	0.41	-0.3	2.3	4	45.6	i	1.34	0.4	2.3	0.2186	0.92	3	609	2.19	3	81.89	3	3	1908	1908	2766243.69	68.71	68.71	4373035.92	81.89	81.89															
Eastern Phoebe	N	1	2	1.60	1.60	I	1.63	0.03	1.3	2.0	4	45.7	i	0.90	0.5	1.3	0.055	0.46	3	1967	1.860	3	80.07	3	3	1566	1566	2662399	66.7	67.3	6245411	79.9	80.1															
Sharp-tailed Grouse	N	2	3	0.12	-0.12	d	-0.64	0.88	-2.5	1.2	4	45.9	d	-0.59	-3.2	2	1.7559	2.60	2	164	0.56	2	48.10	2	2	172	172	6068000.21	36.76	36.76	6068000.21	48.10	48.10															
Great Blue Heron	N	1	3	0.50	0.50	I	2.13	0.04	1.8	2.5	4	46.1	I	1.90	1.3	2.5	0.101	0.62	3	2426	0.830	2	90.80	3	2	339	339	9519274	69.2	69.9	9864231	90.3	90.8															
Eastern Bluebird	N	1	3	0.65	0.65	I	2.65	0.02	2.3	3.0	4	46.1	I	2.35	2	2.7	0.0371	0.38	3	2014	3.59	3	85.89	3	3	1906	1906	3336420.59	73.61	73.61	5468648.82	85.89	85.89															
Mourning Dove	N	1	1	2.82	2.82	i	1.18	0.01	1.0	1.4	4	46.3	S	-0.12	-0.3	0.1	0.0112	0.21	3	3712	26.94	3	84.82	3	3	891	891	10076270.89	73.09	73.09	11149699.17	84.82	84.82															
Blue Jay	N	1	2	1.39	1.39	S	-0.44	0.01	-0.6	-0.3	4	47.0	d	-1.09	-1.4	-0.8	0.0232	0.30	3	2526	8.4	3	96.00	3	3	1713	1713	6814740.67	85.13	85.13	6669832.05	96.00	96.00															
Barred Owl	N	1	3	0.71	-0.71	I	1.57	0.10	1.0	2.2	4	47																																				

Common Name (& pops)	SPECIES STATUS		Trend difference score				COMBINED CBC-BBS TRENDS				BBS TRENDS THROUGH 20/04/2005				LIST ORDER				MS Winter Range				% in CBC area				MS Breeding Range				% in BBS area			
	ABA 6th ed. Status	Codes	ABA 6th ed. abundance codes	Absolute Value CBC trend - BBS trend	CBC trend - BBS trend	Combined trend scores after weighting	Combined trend - weighted	Variance of combined trend	2.5% CI (Co.I. for CBC, Co.I. For BBS)	97.5% CI (Co.I. for CBC, Co.I. For BBS)	Equal weighting score	Percent CBC weighting	BBS Incl/Excl/Stable (sensu PF)	BBS Continental Trend: 1966-2004/05	2.5% CI for BBS	97.5% CI for BBS	Variance - BBS	Precision estimate - BBS	Precision score - BBS	# BBS Routes where species present	Sample size score - BBS	Relative abundance - BBS	Abundance score - BBS	% N. Am. Range covered by BBS	BBS range coverage score	Reliability score for BBS	List Order - All sp. no classification	List Order - Cont. sp. no classification	% N. Am. Range covered by CBC	% N. Am. Range covered by CBC	% N. Am. Range covered by BBS	% N. Am. Range covered by BBS		
White-tailed Kite	N	1	2	1.22	1.22	I	2.22	0.56	0.7	3.7	4	47.4	I	1.58	-1	4.2	1.7395	2.59	2	63	0.16	2	4.09	1	1	428	428	9441676.94	4.09	4.09	9441676.94	4.09	4.09	
Bachman's Sparrow	N	2	0	8.18	-8.18	D	-5.77	1.55	-8.2	-3.3	4	47.4	D	-1.89	-5.2	1.4	2.9048	3.34	2	160	0.56	2	99.59	3	2	2247	2247	1743397.55	99.62	99.62	1743397.55	99.59	99.59	
Eastern Meadowlark	N	1	3	0.49	-0.49	D	-3.10	0.03	-3.4	-2.8	4	47.8	D	-2.86	-3.2	-2.5	0.0345	0.36	3	2140	17.72	3	63.26	2	2	2340	2340	6118248.21	57.99	57.99	7307133.07	63.26	63.26	
Ruddy Duck	N	1	3	0.90	-0.90	I	0.77	0.66	-0.8	2.4	4	47.8	I	1.20	-1.1	3.5	1.403	2.32	2	235	0.860	2	68.87	3	2	134	134	4718281	56.1	56.8	6182735	68.8	68.9	
Black Phoebe	N	1	2	1.70	1.70	I	2.81	0.25	1.8	3.8	4	47.9	I	2.00	0.5	3.5	0.896	1.85	3	161	0.480	2	17.78	1	1	1565	1565	3167428	14.7	14.7	2981638	17.7	17.8	
House Sparrow	I	1	2	1.18	1.18	d	-2.00	0.01	-2.2	-1.8	4	47.9	D	-2.57	-2.9	-2.3	0.0255	0.31	3	3180	28.87	3	44.43	2	2	2479	2479	23373084.56	40.92	40.92	23373084.56	44.43	44.43	
Wilson's Snipe	N	1	2	1.90	-1.90	S	-1.01	1.74	-3.6	1.6	4	48.1	S	-0.10	-0.7	0.6	0.141	0.73	3	1192	2.330	3	50.28	2	2	723	723	9604425	57.8	58.2	11843508	49.9	50.3	
Common Raven	N	1	1	2.42	2.42	I	3.64	0.05	3.2	4.1	4	48.1	I	2.48	1.7	3.3	0.1726	0.81	3	1760	5.44	3	33.99	2	2	1750	1750	15172222.26	31.50	31.50	15172222.26	33.99	33.99	
European Starling	I	1	2	1.84	1.84	S	-0.05	0.01	-0.2	0.1	4	48.2	d	-0.94	-1.2	-0.7	0.0164	0.25	3	3516	29.68	3	70.69	3	3	1984	1984	14768466.31	65.65	65.65	14768466.31	70.69	70.69	
Downy Woodpecker	N	1	2	1.08	1.08	S	0.44	0.01	0.3	0.6	4	48.2	S	-0.08	-0.4	0.3	0.0284	0.33	3	2646	1.15	3	74.85	3	3	1357	1357	12796461.99	69.58	69.58	12796461.99	74.85	74.85	
Black-billed Magpie	N	1	3	0.19	0.19	S	-0.13	0.04	-0.5	0.2	4	48.4	S	-0.22	-0.9	0.4	0.1031	0.63	3	827	6.43	3	77.75	3	3	1736	1736	5674674.91	72.83	72.83	5298603.01	77.75	77.75	
Ruffed Grouse	N	1	2	1.73	1.73	d	-1.92	0.30	-3.0	-0.8	4	48.4	D	-2.76	-4.8	-0.7	1.0715	2.03	2	589	0.33	2	58.47	2	2	162	162	8017072.94	49.41	49.41	8017072.94	58.47	58.47	
Red-shouldered Hawk	N	1	3	0.25	-0.25	I	2.63	0.08	2.1	3.2	4	48.5	I	2.75	1.7	3.8	0.285	1.05	3	945	0.52	2	97.84	3	2	461	461	3241122.38	82.89	82.89	3497071.27	97.84	97.84	
Field Sparrow	N	1	3	0.31	-0.31	D	-2.81	0.04	-3.2	-2.4	4	48.7	D	-2.96	-3.3	-2.6	0.0254	0.31	3	1785	4.73	3	99.81	3	3	2259	2259	3193198.79	94.60	94.60	4003245.49	99.81	99.81	
"Blue" Grouse (Dusky & Sooty lumped)	I	1	2	1.91	-1.91	D	-2.99	0.47	-4.3	-1.6	4	49.0	D	-2.05	-3.7	-0.4	0.7095	1.65	3	105	0.33	2	69.62	3	2	171	171	2100788.06	74.35	74.35	2100788.06	69.62	69.62	
Ring-necked Pheasant	I	1	2	1.86	-1.86	d	-1.79	0.08	-2.4	-1.2	4	49.1	d	-0.88	-1.4	-0.3	0.0792	0.55	3	1363	7.05	3	99.66	3	3	159	159	4496715.99	96.27	96.27	4496715.99	99.66	99.66	
Pine Warbler	N	1	3	0.87	0.87	I	1.46	0.06	1.0	1.9	4	49.1	I	1.03	0.5	1.6	0.0753	0.54	3	956	3.38	3	95.34	3	3	2054	2054	1142777.16	92.13	92.13	2076788.28	95.34	95.34	
King Rail	N	1	0	6.10	6.10	D	-4.60	1.37	-6.9	-2.3	4	49.2	D	-7.60	-12.2	-3	4.450	4.13	2	39	0.220	2	89.43	3	2	528	528	1192685	68.7	70.1	3377512	88.9	89.4	
Pileated Woodpecker	N	1	3	0.14	-0.14	I	1.77	0.02	1.5	2.0	4	49.2	I	1.84	1.4	2.3	0.0591	0.48	3	1861	0.89	2	87.18	3	2	1379	1379	5926897.48	76.15	76.15	5926897.48	87.18	87.18	
Cooper's Hawk	N	1	1	2.82	-2.82	I	4.63	0.26	3.6	5.6	4	49.4	I	6.02	4.1	8	0.9866	1.95	3	604	0.04	1	97.40	3	1	444	444	8177752.45	76.08	76.08	8394044.36	97.40	97.40	
American Goldfinch	N	1	2	1.46	1.46	I	0.66	0.01	0.4	0.9	4	49.4	S	-0.06	-0.4	0.3	0.0328	0.35	3	2663	5.64	3	95.97	3	3	2433	2433	7645879.40	93.74	93.74	7527148.21	95.97	95.97	
Anna's Hummingbird	N	1	1	2.75	2.75	I	2.61	0.15	1.9	3.4	4	49.5	I	1.25	-0.1	2.6	0.4927	1.38	3	147	0.67	2	95.06	3	2	1238	1238	1271936.64	83.72	83.72	493989.31	95.06	95.06	
Northern Mockingbird	N	1	3	0.68	0.68	S	-0.24	0.01	-0.4	-0.1	4	49.5	d	-0.58	-0.8	-0.4	0.013	0.22	3	2113	17.07	3	82.76	3	3	1968	1968	10332116.59	81.03	81.03	10163623.67	82.76	82.76	
Bewick's Wren	N	1	3	0.43	0.43	S	-0.02	0.06	-0.5	0.5	4	49.5	S	-0.23	-1.1	0.6	0.1996	0.88	3	677	2.5	3	71.40	3	3	1843	1843	3157687.25	70.02	70.02	3310512.23	71.40	71.40	
Brown Thrasher	N	1	3	0.88	-0.88	d	-1.68	0.01	-1.9	-1.4	4	49.8	d	-1.24	-1.5	-1	0.0181	0.26	3	2307	2.89	3	99.64	3	3	1973	1973	1534024.07	99.03	99.03	5683818.54	99.64	99.64	
Red-headed Woodpecker	N	1	3	0.02	-0.02	D	-2.63	0.04	-3.0	-2.2	4	50.0	D	-2.62	-3.2	-2	0.0952	0.60	3	1311	1.57	3	99.64	3	3	1334	1334	3357982.54	99.47	99.47	5202382.36	99.64	99.64	
Mule Swan	I	1	2	1.67	1.67	I	6.76	5.33	2.2	11.3	4	50.0	I	5.93	-2.9	14.7	20.2402	8.82	1	39	0.28	2	95.17	3	1	54	54	212067.59	95.17	95.2	212067.59	95.17	95.17	
Golden-fronted Woodpecker	N	1	2	1.83	1.83	S	-0.31	0.36	-1.5	0.9	4	50.0	d	-1.23	-3.4	1	1.2767	2.21	2	82	4.37	3	22.86	1	1	1346	1346	1400115.44	22.86	22.86	1400115.44	22.86	22.86	
Pinon Jay	N	1	1	2.36	2.36	D	-3.39	1.56	-5.8	-0.9	4	50.0	D	-4.57	-7.1	-2	1.6714	2.53	2	192	4.54	3	99.29	3	2	1734	1734	1338831.53	99.29	99.29	1338831.53	99.29	99.29	
Le Conte's Thrasher	N	2	1	2.43	-2.43	S	-0.34	1.32	-2.6	1.9	4	50.0	I	0.88	-3.1	4.9	4.1488	3.99	2	37	0.69	2	79.73	3	2	1982	1982	251916.97	79.73	79.73	251916.97	79.73	79.73	
Cactus Wren	N	1	2	1.05	1.05	d	-1.83	0.17	-2.6	-1.0	4	50.0	D	-2.35	-3.8	-0.9	0.526	1.42	3	190	5.84	3	42.79	2	2	1822	1822	1853984.59	42.79	42.79	1853984.59	42.79	42.79	
White-headed Woodpecker	N	1	1	3.08	-3.08	S	0.42	1.11	-1.6	2.5	4	50.0	I	1.96	0.2	3.7	0.7619	1.71	3	71	0.44	2	100.00	3	2	1362	1362	500005.67	100.00	100.00	500005.67	100.00	100.00	
Scaled Quail	N	1	0	4.06	-4.06	D	-2.68	0.44	-4.0	-1.4	4	50.0	d	-0.65	-2.7	1.3	1.0393	2.00	2	159	3.85	3	48.38	2	2	188	188	1419094.38	48.38	48.38	1419094.38	48.38	48.38	
Gilded Flicker	N	2	1	2.12	-2.12	D	-2.28	0.44	-3.6	-1.0	4	50.0	d	-1.22	-3.5	1.1	1.3506	2.28	2	29	2	3	40.38	2	2	1374	1374	378585.71	40.38	40.38	378585.71	40.38	40.38	
Tufted Titmouse	N	1	3	0.01	0.01	I	0.89	0.6	1.2	1.2	4	50.0	I	0.89	0.6	1.2	0.0214	0.29	3	1677	8.25	3	99.62	3	3	1797	1797	2975357.30	99.64	99.64	2975357.30	99.62	99.62	
Acorn Woodpecker	N	1	3	0.52	0.52	I	0.84	0.08	0.3	1.4	4	50.0	I	0.58	-0.2	1.4	0.1601	0.78	3	153	5.91	3	29.80	1	1	1335	1335	1471345.66	29.80	29.80	1471345.66	29.80	29.80	

Common Name (& pops)	SPECIES STATUS		ABA 6th ed. Status Codes		ABA 6th ed. abundance codes		Trend difference score		Absolute Value CBC trend - BBS trend		CBC trend - BBS trend		COMBINED CBC-BBS TRENDS							BBS TRENDS THROUGH 20/04/2005							LIST ORDER		MS Winter Range		% in CBC area		% N. Am. Range covered by CBC		% N. Am. Range covered by BBS		MS Breeding Range		% in BBS area		% N. Am. Range covered by BBS	
	ABA 6th ed. Status Codes	ABA 6th ed. abundance codes	Trend difference score	Absolute Value CBC trend - BBS trend	CBC trend - BBS trend	Combined trend scores after weighting	Combined trend - weighted	Variance of combined trend	2.5% CI (Co.I. for CBC, Co.I. For BBS)	97.5% CI (Co.I. for CBC, Co.I. For BBS)	Equal weighting score	Percent CBC weighting	BBS Incl/Excl/Stable (sensu PF)	BBS Continental Trend: 1966-2004/05	2.5% CI for BBS	97.5% CI for BBS	Variance - BBS	Precision estimate - BBS	Precision score - BBS	# BBS Routes where species present	Sample size score - BBS	Relative abundance - BBS	Abundance score - BBS	% N. Am. Range covered by BBS	BBS range coverage score	Reliability score for BBS	List Order - All sp. no classification	List Order - Cont. sp. no classification	MS Winter Range	% in CBC area	% N. Am. Range covered by CBC	% N. Am. Range covered by BBS	MS Breeding Range	% in BBS area	% N. Am. Range covered by BBS							
Yellow-billed Magpie	N	2	3	0.16	-0.16	S	-0.06	0.17	-0.9	0.8	4	50.0	S	0.02	-1.4	1.4	0.5081	1.40	3	41	2	10.88	99.62	3	2	1737	1737	83615.08	99.62	99.62	83615.08	99.62	99.62	83615.08	99.62	99.62						
Wrentit	N	1	2	1.87	1.87	S	-0.13	0.32	-1.2	1.0	4	50.0	d	-1.07	-2.7	0.5	0.666	1.60	3	139	3	5.93	92.55	3	3	1962	1962	246471.72	92.55	92.55	246471.72	92.55	92.55	246471.72	92.55	92.55						
Red-cockaded Woodpecker	N	2	0	5.15	-5.15	D	-2.99	0.64	-4.5	-1.4	4	50.0	S	-0.41	-3.2	2.4	2.0495	2.81	2	25	2	0.13	98.60	3	2	1361	1361	830310.84	98.60	98.60	830310.84	98.60	98.60	830310.84	98.60	98.60						
California Quail	N	1	3	0.60	0.60	I	1.50	0.26	0.5	2.5	4	50.0	i	1.20	-0.6	3	0.8645	1.82	3	336	3	3.92	73.77	3	3	190	190	1273325.21	73.77	73.77	1273325.21	73.77	73.77	1273325.21	73.77	73.77						
House Finch	N	1	2	1.16	1.16	I	1.52	0.14	0.8	2.3	4	50.0	i	0.94	-0.5	2.3	0.5102	1.40	3	2273	3	4.83	78.81	3	3	2418	2418	7569977.97	78.82	78.82	7569977.97	78.81	78.81	7569977.97	78.81	78.81						
Northern Cardinal	N	1	3	0.28	0.28	S	0.26	0.00	0.1	0.4	4	50.0	S	0.13	-0.1	0.3	0.0099	0.20	3	2069	3	21.88	77.59	3	3	2315	2315	5848253.75	77.60	77.60	5848253.75	77.59	77.59	5848253.75	77.59	77.59						
Northern Bobwhite	N	1	1	2.54	-2.54	D	-4.26	0.10	-4.9	-3.6	4	50.0	D	-2.99	-3.3	-2.7	0.025	0.31	3	1600	3	17.4	84.07	3	3	193	193	4565937.32	84.08	84.08	4565937.32	84.07	84.07	4565937.32	84.07	84.07						
Red-bellied Woodpecker	N	1	3	0.94	0.94	i	1.23	0.01	1.1	1.4	4	50.0	i	0.76	0.5	1.1	0.0226	0.29	3	1643	3	5.91	99.40	3	3	1347	1347	2995200.87	99.42	99.42	2995200.87	99.40	99.40	2995200.87	99.40	99.40						
Carolina Wren	N	1	2	1.26	1.26	I	1.57	0.02	1.3	1.8	4	50.0	i	0.94	0.6	1.3	0.0363	0.37	3	1402	3	9.51	88.63	3	3	1839	1839	3222789.49	88.65	88.65	3222789.49	88.63	88.63	3222789.49	88.63	88.63						
Carolina Chickadee	N	1	2	1.70	1.70	S	0.15	0.01	-0.1	0.4	4	50.0	d	-0.70	-1.1	-0.3	0.0406	0.39	3	1099	3	6.35	99.65	3	3	1787	1787	2317989.50	99.67	99.67	2317989.50	99.65	99.65	2317989.50	99.65	99.65						
Black Vulture	N	1	1	2.52	2.52	I	4.44	0.28	3.4	5.5	4	50.0	I	3.18	1.5	4.8	0.693	1.63	3	655	3	1.9	8.85	1	1	409	409	21048612.54	8.85	8.85	21048612.54	8.85	8.85	21048612.54	8.85	8.85						
Boat-tailed Grackle (30-year CBC trend)	N	1	3	0.80	-0.80	I	1.50	0.22	0.6	2.4	4	50.0	I	1.90	0.4	3.5	0.563	1.47	3	122	3	18.210	99.98	3	3	2348	2348	208265	95.6	100.0	203403	95.3	100.0	203403	95.3	100.0						
Common Ground-Dove	N	1	2	1.25	-1.25	d	-1.81	0.31	-2.9	-0.7	4	50.0	d	-1.18	-2.8	0.5	0.707	1.65	3	224	3	1.86	17.50	1	1	895	895	6798641.70	17.50	17.50	6798641.70	17.50	17.50	6798641.70	17.50	17.50						
Eurasian Collared-Dove	I	1	0	23.93	23.93	I	66.04	192.96	38.8	93.3	4	50.0	I	54.07	2.1	106.1	703.5247	51.99	0	241	3	0.36	96.11	3	0	880	880	973689.66	96.16	96.16	973689.66	96.11	96.11	973689.66	96.11	96.11						
Brown-headed Nuthatch	N	1	1	2.58	2.58	S	-0.29	0.17	-1.1	0.5	4	50.0	d	-1.58	-3.1	-0.1	0.6047	1.52	3	347	3	1.48	99.07	3	3	1808	1808	943968.16	99.13	99.13	943968.16	99.13	99.13	943968.16	99.13	99.13						
Mountain Chickadee	N	1	1	2.56	2.56	S	0.42	0.07	-0.1	0.9	4	50.0	d	-0.86	-1.4	-0.3	0.0906	0.59	3	466	3	3.86	95.64	3	3	1789	1789	2696632.08	95.76	95.76	2696632.08	95.64	95.64	2696632.08	95.64	95.64						
Northern Harrier	N	1	1	2.02	2.02	d	-0.71	0.08	-1.3	-0.1	4	50.1	d	-1.72	-2.8	-0.6	0.3095	1.09	3	1068	3	0.45	71.29	3	2	439	439	9138914.61	71.62	71.62	9138914.61	71.29	71.29	9138914.61	71.29	71.29						
Tricolored Blackbird	N	2	2	1.80	1.80	S	0.40	0.47	-3.9	4.7	4	50.1	S	-0.50	-7.1	6.1	10.441	6.33	1	51	3	28.380	99.51	3	1	2335	2335	108584	99.2	100.0	113295	98.8	99.5	113295	98.8	99.5						
Double-crested Cormorant	N	1	1	3.00	3.00	I	8.21	1.10	6.1	10.3	4	50.2	I	6.70	3	10.3	3.126	3.47	2	490	3	0.720	83.64	3	2	312	312	3435520	57.4	75.8	3930524	74.3	83.6	3930524	74.3	83.6						
Lesser Scaup	N	1	3	0.60	0.60	d	-0.70	1.14	-2.8	1.4	4	50.2	d	-1.00	-2.5	0.5	0.550	1.45	3	239	3	1.880	47.32	2	2	107	107	6047381	51.5	52.9	5116025	47.3	47.3	5116025	47.3	47.3						
Hutton's Vireo	N	1	2	1.78	1.78	I	1.61	0.17	0.8	2.4	4	50.2	i	0.72	-0.7	2.2	0.547	1.45	3	162	3	0.88	37.18	2	2	1693	1693	1218667.61	37.51	37.51	1218667.61	37.18	37.18	1218667.61	37.18	37.18						
Prairie Falcon	N	1	1	2.43	-2.43	i	2.51	2.21	-0.4	5.4	4	50.3	i	3.73	-2.1	9.6	8.9072	5.85	2	200	3	0.09	86.16	3	1	502	502	4411374.53	78.57	78.57	3824848.26	86.16	86.16	3824848.26	86.16	86.16						
Evening Grosbeak	N	1	1	3.40	-3.40	D	-3.69	0.33	-4.8	-2.6	4	50.4	d	-1.98	-3.7	-0.3	0.7726	1.72	3	658	3	3.69	87.01	3	3	2440	2440	9655746.96	88.28	88.28	3941484.93	87.01	87.01	3941484.93	87.01	87.01						
Red Crossbill	N	1	1	3.35	3.35	S	0.44	0.81	-1.3	2.2	4	50.5	d	-1.25	-2.6	0	0.4417	1.30	3	457	3	1.75	66.16	2	2	2419	2419	12021838.20	74.88	74.88	6755709.33	66.16	66.16	6755709.33	66.16	66.16						
Gray Partridge	I	2	2	1.18	-1.18	d	-0.70	0.52	-2.1	0.7	4	50.5	S	-0.11	-1.9	1.7	0.8086	1.76	3	267	3	0.45	99.87	3	2	155	155	2766113.65	91.57	91.57	2766113.65	99.87	99.87	2766113.65	99.87	99.87						
Steller's Jay	N	1	1	2.31	2.31	i	1.36	0.05	0.9	1.8	4	50.5	S	0.19	-0.4	0.7	0.0808	0.56	3	486	3	3.13	77.15	3	3	1712	1712	3108586.53	78.62	78.62	3108586.53	77.15	77.15	3108586.53	77.15	77.15						
Hairy Woodpecker	N	1	2	1.48	-1.48	i	1.13	0.07	0.6	1.7	4	50.7	I	1.88	0.8	2.9	0.2947	1.06	3	2244	3	0.5	69.15	3	2	1358	1358	13293440.55	64.08	64.08	13293440.55	69.15	69.15	13293440.55	69.15	69.15						
Great Horned Owl	N	1	3	0.78	0.78	S	0.12	0.06	-0.4	0.6	4	51.0	S	-0.28	-1.3	0.7	0.2501	0.98	3	1306	3	0.19	39.75	2	2	1031	1031	26213788.97	37.18	37.18	26213788.97	39.75	39.75	26213788.97	39.75	39.75						
White-breasted Nuthatch	N	1	3	0.36	-0.36	I	1.77	0.02	1.5	2.0	4	52.1	I	1.96	1.4	2.5	0.0722	0.53	3	1925	3	0.97	90.12	3	2	1806	1806	8627596.26	88.06	88.06	8627596.26	90.12	90.12	8627596.26	90.12	90.12						
Red-breasted Nuthatch	N	1	2	1.50	1.50	I	2.18	0.03	1.8	2.5	4	52.2	I	1.40	0.8	2	0.0896	0.59	3	1140	3	2.29	71.51	3	3	1805	1805	12353989.79	78.12	78.12	7138669.70	71.51	71.51	7138669.70	71.51	71.51						
Red-winged Blackbird	N	1	3	0.80	0.80	d	-0.58	0.20	-1.5	0.3	4	52.2	d	-1.00	-1.2	-0.7	0.014	0.23	3	3610	3	52.880	75.92	3	3	2333	2333	8721974	82.4	83.0	13659296	75.6	75.9	13659296	75.6	75.9						
Glossy Ibis	N	1	0	10.00	10.00	I	4.83	3.50	1.2	8.5	4	52.3	S	-0.40	-6.1	5.3	12.792	7.01	1	51	3	0.820	44.99	2	1	395	395	662259	34.6	35.6	630171	43.5	45.0	630171	43.5</							

Common Name (& pops)	SPECIES STATUS		ABA 6th ed. Status Codes		ABA 6th ed. abundance codes		Trend difference score		Absolute Value CBC trend - BBS trend		CBC trend - BBS trend		COMBINED CBC-BBS TRENDS								BBS TRENDS THROUGH 20/04/2005								LIST ORDER		MS Winter Range		% in CBC area		% N. Am. Range covered by CBC		% N. Am. Range covered by BBS		MS Breeding Range		% in BBS area		% N. Am. Range covered by BBS		% N. Am. Range covered by BBS	
	ABA 6th ed. Status Codes	ABA 6th ed. abundance codes	Trend difference score	Absolute Value CBC trend - BBS trend	CBC trend - BBS trend	Combined trend scores after weighting	Combined trend - weighted	Variance of combined trend	2.5% CI (Co.I. for CBC, Co.I. For BBS)	97.5% CI (Co.I. for CBC, Co.I. For BBS)	Equal weighting score	Percent CBC weighting	BBS Trend	BBS Incl/Excl/Stable (sensu PF)	BBS Continental Trend: 1966-2004/05	2.5% CI for BBS	97.5% CI for BBS	Variance - BBS	Prediction estimate - BBS	Precision score - BBS	# BBS Routes where species present	Sample size score - BBS	Relative abundance - BBS	Abundance score - BBS	% N. Am. Range covered by BBS	BBS range coverage score	Reliability score for BBS	List Order - All sp. no classification	List Order - Cont. sp. no classification	MS Winter Range	% in CBC area	% N. Am. Range covered by CBC	% N. Am. Range covered by BBS	MS Breeding Range	% in BBS area	% N. Am. Range covered by BBS	% N. Am. Range covered by BBS									
Great Black-backed Gull	N	1	1	3.70	3.70	S	-0.34	0.42	-1.6	0.9	4	53.0	D	-2.30	-4.3	-0.3	1.097	2.05	2	95	3	2.360	3	70.74	3	2	773	773	3699260.25	99.52	99.52	79.8	79.8	8219102.45	87.81	87.81	70.7	70.7								
Common Grackle	N	1	1	2.36	-2.36	D	-2.35	0.14	-3.1	-1.6	4	53.1	d	-1.10	-1.5	-0.7	0.04	0.39	3	2804	3	30.43	3	87.81	3	3	2347	2347	14335169	22.7	24.4	24.4	24.4	578272	24.6	26.5	26.5	26.5								
Clapper Rail	N	1	3	0.10	-0.10	i	0.85	1.04	-1.2	2.8	4	53.2	i	0.90	-1.5	3.2	3.946	3.89	2	47	2	0.240	2	26.55	1	1	516	516	561747	22.7	24.4	24.4	24.4	578272	24.6	26.5	26.5	26.5								
Lincoln's Sparrow	N	1	2	1.90	-1.90	S	0.38	0.19	-0.5	1.2	4	53.5	i	1.40	-0.2	3	0.612	1.53	3	489	3	2.450	3	42.36	2	2	2281	2281	3546247	48.5	48.8	48.8	48.8	7548734	41.8	42.4	42.4	42.4								
Western Gull	N	1	0	4.50	4.50	i	1.31	1.09	-0.7	3.4	4	53.5	d	-1.10	-5.7	3.5	4.718	4.26	2	21	2	4.260	3	68.80	3	2	766	766	157748	24.3	64.2	64.2	64.2	91813	27.1	68.8	68.8	68.8								
Yellow-rumped Warbler	N	1	2	1.31	1.31	i	0.99	0.04	0.6	1.4	4	53.8	S	0.29	-0.4	0.9	0.1119	0.66	3	1214	3	6.12	3	50.34	2	2	2041	2041	6285051.86	58.71	58.71	58.71	58.71	9845790.92	50.34	50.34	50.34	50.34								
Black Skimmer	N	1	2	1.50	-1.50	d	-3.31	5.17	-7.8	1.1	4	53.9	d	-2.50	-7.2	2.2	22.499	9.30	1	33	2	0.310	2	3.10	1	1	838	838	14327439	1.0	2.6	2.6	2.6	14327439	1.1	3.1	3.1	3.1								
Brown Pelican	N	1	0	4.40	4.40	i	5.38	3.30	1.8	8.9	4	54.0	i	3.00	0.8	5.3	13.122	7.10	1	43	2	1.370	3	19.85	1	1	306	306	2377715	0.3	16.8	16.8	16.8	1491805	0.5	19.8	19.8	19.8								
Northwestern Crow	N	1	3	0.70	0.70	i	1.18	0.32	0.1	2.3	4	54.1	i	0.80	-0.4	2	0.424	1.28	3	37	2	12.840	3	82.87	3	2	1740	1740	6966508	97.4	97.7	97.7	97.7	10785498	82.6	82.9	82.9	82.9								
American Dipper	N	1	3	0.60	0.60	S	0.42	1.06	-1.6	2.4	4	54.1	S	0.10	-2.7	2.9	2.749	3.25	2	106	3	0.110	2	52.73	2	2	1863	1863	4816434	54.9	56.0	56.0	56.0	4816434	52.0	52.7	52.7	52.7								
American Crow	N	1	2	1.59	1.59	i	1.67	0.01	1.5	1.9	4	54.1	i	0.81	0.5	1.1	0.021	0.28	3	3325	3	20.2	3	82.58	3	3	1739	1739	6966508.44	97.39	97.39	97.39	97.39	10785497.50	82.58	82.58	82.58	82.58								
Orange-crowned Warbler	N	1	1	3.78	3.78	i	0.88	0.07	0.3	1.4	4	54.4	d	-1.18	-2	-0.3	0.1848	0.84	3	491	3	2.65	3	42.85	2	2	2027	2027	2973905.43	51.10	51.10	51.10	51.10	7468979.14	42.85	42.85	42.85	42.85								
Belted Kingfisher	N	1	1	2.40	2.40	S	-0.39	0.02	-0.7	-0.1	4	54.4	d	-1.70	-2.2	-1.2	0.066	0.50	3	2019	3	0.320	2	66.25	2	2	1292	1292	10344861	70.6	71.2	71.2	71.2	13986895	65.8	66.3	66.3	66.3								
Song Sparrow	N	1	2	0.97	-0.97	S	-0.04	0.01	-0.2	0.1	4	54.7	d	-0.57	-0.7	-0.4	0.0081	0.18	3	2677	3	10.72	3	75.96	3	3	2280	2280	7791648.03	91.70	91.70	91.70	91.70	10309444.41	75.96	75.96	75.96	75.96								
Brown Creeper	N	1	3	0.08	-0.08	S	0.14	0.11	-0.5	0.8	4	54.9	S	0.18	-1.2	1.6	0.504	1.39	3	612	3	0.36	2	71.38	3	2	1811	1811	12166776.05	78.17	78.17	78.17	78.17	6544313.84	71.38	71.38	71.38	71.38								
Harris's Hawk	N	1	0	5.79	5.79	d	-2.09	0.67	-3.7	-0.5	4	55.2	D	-5.29	-8.6	-2	2.7712	3.26	2	43	2	0.78	2	5.68	1	1	458	458	6001692.87	5.68	5.68	5.68	5.68	6001692.87	5.68	5.68	5.68	5.68								
Savannah Sparrow	N	1	1	2.04	2.04	S	0.19	0.04	-0.2	0.6	4	55.3	d	-0.94	-1.3	-0.6	0.0384	0.38	3	1712	3	8.03	3	47.52	2	2	2268	2268	4729294.83	58.68	58.68	58.68	58.68	13765122.03	47.52	47.52	47.52	47.52								
Ring-necked Duck	N	1	2	1.20	1.20	i	3.16	0.88	1.3	5.0	4	55.3	i	2.50	0.1	4.8	2.663	3.20	2	179	3	0.220	2	63.05	2	2	104	104	6622932	69.9	70.2	70.2	70.2	4886254	62.7	63.1	63.1	63.1								
Sandhill Crane	N	1	0	4.20	-4.20	i	4.47	628.56	-44.7	53.6	4	55.6	i	6.80	4.3	9.4	1.621	2.50	2	367	3	1.150	3	33.04	1	1	565	565	1203806	68.5	68.8	68.8	68.8	8263108	32.8	33.0	33.0	33.0								
Sharp-shinned Hawk	N	1	3	0.92	-0.92	i	2.60	1.01	0.6	4.6	4	56.0	i	2.08	-2.4	6.6	5.2149	4.48	2	335	3	0.02	1	46.32	2	1	442	442	14477904.64	47.17	47.17	47.17	47.17	14477904.64	46.32	46.32	46.32	46.32								
Chukar	I	2	1	2.33	-2.33	d	-1.39	9.25	-7.4	4.6	4	56.3	S	-0.09	-13.1	12.9	44.0001	13.00	0	82	3	0.59	2	100.00	3	0	150	150	972623.03	100.00	100.00	100.00	100.00	972623.03	100.00	100.00	100.00	100.00								
Northern Goshawk	N	1	3	0.31	-0.31	S	0.11	0.87	-1.7	1.9	4	56.3	S	0.29	-3.8	4.4	4.4037	4.11	2	80	3	0.02	1	46.98	2	1	447	447	7791648.03	54.42	54.42	54.42	54.42	10051782.50	46.98	46.98	46.98	46.98								
Pine Siskin	N	1	0	4.21	-4.21	S	-0.34	0.24	-1.3	0.6	4	56.3	D	-2.71	-3.6	-1.8	0.2165	0.91	3	875	3	4.82	3	61.00	2	2	2425	2425	11977350.60	78.74	78.74	78.74	78.74	7800626.88	61.00	61.00	61.00	61.00								
Groove-billed Ani	N	2	2	1.20	1.20	d	-3.43	12.09	-10.2	3.4	4	56.7	d	-4.11	-18.8	10.6	56.2057	14.69	0	16	2	1.02	3	4.35	1	0	1010	1010	2629777.30	4.42	4.42	4.42	4.42	2676091.42	4.35	4.35	4.35	4.35								
Roseate Spoonbill	N	1	1	3.70	-3.70	i	8.20	3.06	4.8	11.6	4	56.7	i	10.30	4.9	15.8	14.058	7.35	1	30	2	0.870	2	1.12	1	1	400	400	8489285	1.0	1.1	1.1	1.1	7988726	1.1	1.1	1.1	1.1								
Northern Pintail	N	1	1	2.00	-2.00	D	-3.65	0.93	-5.5	-1.8	4	57.4	D	-2.50	-4.6	-0.4	1.460	2.37	2	405	3	1.780	3	46.59	2	2	95	95	7795723	62.1	62.7	62.7	62.7	10480171	46.3	46.6	46.6	46.6								
Northern Flicker	N	1	2	1.84	1.84	d	-0.89	0.01	-1.1	-0.7	4	57.6	d	-1.95	-2.2	-1.7	0.0192	0.27	3	3377	3	2.7	3	65.03	2	2	1373	1373	9861155.26	88.49	88.49	88.49	88.49	14954399.90	65.03	65.03	65.03	65.03								
Purple Finch	N	1	3	0.17	0.17	d	-1.50	0.07	-2.0	-1.0	4	57.7	d	-1.60	-2.3	-1	0.1104	0.65	3	982	3	1.96	3	72.40	3	3	2416	2416	4598602.02	98.76	98.76	98.76	98.76	4529430.78	72.40	72.40	72.40	72.40								
Golden-crowned Kinglet	N	1	1	2.20	2.20	i	0.08	0.09	0.5	1.5	4	58.0	d	-1.20	-2.4	0	0.3606	1.18	3	690	3	2.34	3	67.60	3	3	1868	1868																		
Mallard	N	1	2	1.10	1.10	i	1.74	0.12	1.1	2.4	4	58.2	i	1.10	0.4	1.8	0.164	0.79	3	2304	3	5.160	3	65.69	2	2	82	82	8625762	90.6	91.3	91.3	91.3	13908514	65.4	65.7	65.7	65.7								
Canvasback	N	1	1	2.18	-2.18	d	-2.17	3.15	-5.6	1.3	4	58.2	d	-0.90	-3.3	1.4	2.570	3.14	2	134	3	0.660	2	52.96	2	2	101	101	5781869	73.4	73.7	73.7	73.7	3657424	52.9	53.0	53.0	53.0								
Merlin	N	1	0	6.93	-6.93	i	6.39	0.49	5.0	7.8	4	58.2	i	10.43	7.2	13.7	2.7732																													

Common Name (& pops)	SPECIES STATUS		Trend difference score	Absolute Value CBC trend - BBS trend	CBC trend - BBS trend	COMBINED CBC-BBS TRENDS				BBS TRENDS THROUGH 20/04/2005				LIST ORDER		MS Winter Range	% in CBC area	% N. Am. Range covered by CBC	% N. Am. Range covered by BBS	MS Breeding Range	% in BBS area	% N. Am. Range covered by BBS	% N. Am. Range covered by BBS				
	ABA 6th ed. Status Codes	ABA 6th ed. abundance codes				Combined trend scores after weighting	Combined trend - weighted	Variance of combined trend	2.5% CI (C.I. for CBC, Co.I. For BBS)	97.5% CI (C.I. for CBC, Co.I. For BBS)	Equal weighting score	Percent CBC weighting	BBS Ined/Dec/Stable (sensu PH)	BBS Continental Trend: 1966-2004/05	2.5% CI for BBS									97.5% CI for BBS	Variance - BBS	Precision estimate - BBS	Precision score - BBS
Brant	N	1				i	4.10	-38.7	28.8	0	100			0.00	0	32.1	32.1					53.7	53.7			0.0	0.0
King Eider	N	1				i	4.40	-3.6	14.6	0	100			0.00	0	110	110	1375519	9.0	18.2	18.2	1689565	0.0	0.0	0.0	0.0	
Northern Fulmar	N	1				i	4.60	-1.2	12.0	0	100			0.15	0	242	242	14100412.30	0.18	0.18	0.18	5192140.08	0.15	0.15			
Short-tailed Shearwater	V	2				i	5.70	-3.3	13.3	0	100					269	269										
Red Phalarope	N	1				i	7.50	-7.1	21.9	0	100					732	732					13.4	13.4			0.0	0.0
Trumpeter Swan	N	1				i	9.50	-0.2	13.1	0	100			41.13	2	61	61	360967	90.6	97.2	97.2	1372247	40.9	41.1	41.1	41.1	
Northern Hawk Owl	N	2				i	1.90	-1.4	4.9	0	100			27.84	1	1033	1033	7126440.04	18.12	18.12	18.12	7126440.04	27.84	27.84			
Spotted Owl	N	2				i	2.40	-1.5	4.9	0	100			60.13	2	1047	1047	1223484.96	60.13	60.13	60.13	1223484.96	60.13	60.13			
Northern Beardless-Tyrannulet	N	2				i	3.20	-0.4	7.7	0	100			1.26	1	1480	1480	1337097.75	0.07	0.07	0.07	1456040.39	1.26	1.26			
Whiskered Screech-Owl	N	2				i	3.50	-0.6	8.1	0	100			2.23	1	1022	1022	665345.31	2.23	2.23	2.23	665345.31	2.23	2.23			
Lapland Longspur	N	1				i	3.80	-0.7	8.7	0	100			0.00	0	2292	2292	7952267.24	97.84	97.84	97.84	3335547.44	0.00	0.00			
Reddish Egret	N	1				i	1.80	0.7	2.9	0	100			11.78	1	365	365	630128	8.6	9.0	9.0	551079	11.2	11.8	11.8	11.8	
Least Grebe	N	2				i	1.80	0.0	3.6	0	100			0.50	0	217	217	9209963	0.5	0.5	0.5	9210454	0.5	0.5	0.5	0.5	
American Oystercatcher	N	1				i	1.90	0.4	3.3	0	100			27.48	1	611	611	1203075	24.4	25.3	25.3	865562	26.4	27.5	27.5	27.5	
"Arctic" Loon (Pacific & Arctic lumped)						i	2.30	0.3	4.5	0	100			0.00	0	210.1	210.1	629647	3.0	75.2	75.2	4947908	0.0	0.0	0.0	0.0	
Brandt's Cormorant	N	1				i	2.50	1.0	4.0	0	100			70.13	3	310	310	703143	2.4	69.2	69.2	326846	1.5	70.1	70.1	70.1	
Black Oystercatcher	N	1				i	2.90	0.4	4.6	0	100			44.49	2	614	614	271789	54.4	70.2	70.2	258755	33.6	44.5	44.5	44.5	
Painted Redstart	N	2				i	3.50	1.4	5.7	0	100			21.97	1	2097	2097	585083.56	0.00	0.00	0.00	1129306.02	21.97	21.97			
Green Kingfisher	N	2				i	3.60	0.6	5.6	0	100			1.01	1	1294	1294	17030975	1.0	1.0	1.0	17030975	1.0	1.0	1.0	1.0	
Gyrfalcon	N	2				i	3.60	1.8	5.2	0	100			0.00	0	500	500	8319239.11	43.28	43.28	43.28	3886740.11	0.00	0.00			
Heermann's Gull	N	1				i	3.90	0.3	5.4	0	100			0.00	0	751	751	786775	6.6	26.2	26.2	3562	0.0	0.0	0.0	0.0	
Black-headed Gull	N	3				i	3.90	1.0	6.7	0	100			97.04	3	749	749	130396.14	23.62	23.62	23.62	11378.30	97.04	97.04			
White-tipped Dove	N	2				i	4.00	2.6	5.5	0	100			0.28	0	900	900	13486867.64	0.28	0.28	0.28	13486867.64	0.28	0.28			
Elegant Trogon	N	2				i	4.80	0.3	9.8	0	100			6.09	1	1260	1260	654542.67	0.05	0.05	0.05	696650.75	6.09	6.09			
Eurasian Wigeon	V	3				i	5.00	4.0	6.0	0	100					79	79										
Great Kiskadee	N	2				i	5.20	3.9	6.7	0	100			0.34	0	1592	1592	16257566.26	0.34	0.34	0.34	16257566.26	0.34	0.34			
Blue-throated Hummingbird	N	2				i	5.50	2.4	8.8	0	100			7.08	1	1215	1215	372713.51	0.00	0.00	0.00	499126.29	7.08	7.08			
Whooping Crane	N	2				i	5.50	2.3	12.7	0	100			53.79	2	572	572	61809	99.9	100.0	100.0	36605	53.7	53.8	53.8	53.8	
Ringed Kingfisher	N	2				i	6.90	5.0	8.8	0	100			0.11	0	1291	1291	16727698	0.1	0.1	0.1	16727698	0.1	0.1	0.1	0.1	
Silt Sandpiper	N	1				i	7.40	2.5	12.0	0	100			0.00	0	712	712	12977352	0.5	0.5	0.5	397597	0.0	0.0	0.0	0.0	
White-tailed Hawk	N	2				i	7.50	5.8	9.9	0	100					467	467										
Gray Hawk	N	2				i	7.50	4.4	9.9	0	100			0.85	0	464	464	11201397.16	0.18	0.18	0.18	11329170.35	0.85	0.85			
Neotropic Cormorant	N	1				i	7.70	4.2	11.5	0	100			0.22	0	311	311	18055579	0.2	0.2	0.2	18045489	0.2	0.2	0.2	0.2	
Short-tailed Hawk	N	2				i	8.00	6.3	9.8	0	100			0.38	0	465	465	14433437.22	0.20	0.20	0.20	14459939.23	0.38	0.38			
"Iceland" Gull (Thayer's & Iceland lumped)						i	8.10	3.8	12.8	0	100			0.00	0	763	763	1728204	31.4	92.4	92.4	1076431	0.0	0.0	0.0	0.0	
Zone-tailed Hawk	N	2				i	9.00	6.2	12.7	0	100			6.11	1	468	468	5749950.15	0.00	0.00	0.00	5826904.68	6.11	6.11			
Northern Gannet	N	1				i	9.20	6.0	13.3	0	100			1.19	1	303	303	492969.69	1.76	1.76	1.76	1112143.75	1.19	1.19			
Snail Kite	N	2				i	9.40	6.2	12.9	0	100			0.53	0	429	429	11541636	0.5	0.5	0.5	11541636	0.5	0.5	0.5	0.5	
Snow Goose	N	1				i	10.00	5.4	17.2	0	100			0.00	0	26	26	1767331	84.7	85.1	85.1	509403	0.0	0.0	0.0	0.0	
Great Gray Owl	N	2				i	10.30	6.6	13.8	0	100			37.10	2	1054	1054	5339094.24	27.22	27.22	27.22	5339094.24	37.10	37.10			
Buff-bellied Hummingbird	N	2				i	10.50	7.8	13.1	0	100			2.14	1	1199	1199	584490.54	30.74	30.74	30.74	397258.34	2.14	2.14			
Greater White-fronted Goose	N	1				i	10.60	4.8	15.4	0	100			0.00	0	20	20	1595716	46.3	46.7	46.7	2350739	0.0	0.0	0.0	0.0	
Broad-billed Hummingbird	N	2				i	10.90	7.6	14.1	0	100			2.98	1	1173	1173	466659.27	0.00	0.00	0.00	787649.49	2.98	2.98			
Magnificent Hummingbird	N	2				i	11.80	7.6	15.6	0	100			5.24	1	1221	1221	715030.35	0.00	0.00	0.00	858526.10	5.24	5.24			
Ross's Goose	N	1				i	11.90	6.3	17.3	0	100			0.00	0	32	32	696175	75.7	76.0	76.0	215377	0.0	0.0	0.0	0.0	
Lesser Black-backed Gull	V	3				i	12.60	9.5	14.6	0	100					764	764										
Aplomado Falcon	N	4				i	17.30	9.2	26.0	0	100			1.69	1	497	497	12752997.76	1.69	1.69	1.69	12746902.95	1.69	1.69			
Monk Parakeet	I	2				i	18.80	8.9	26.7	0	100			0.00	0	926	926	2830019.36	0.00	0.00	0.00	2830019.36	0.00	0.00			

Common Name (& pops)

SPECIES STATUS

ABA 6th ed. Status Codes

ABA 6th ed.abundance codes

Trend difference score

Absolute Value CBC trend - BBS trend

CBC trend - BBS trend

COMBINED CBC-BBS TRENDS

Combined trend scores after weighting

Combined trend - weighted

Variance of combined trend

2.5% CI (C.I. for CBC, Co.I. For BBS)

97.5% CI (C.I. for CBC, Co.I. For BBS)

Equal weighting score

Percent CBC weighting

BBS TRENDS THROUGH 20/04/2005

BBS Ine/Die/Stable (sensu PF)

BBS Continental Trend: 1966-2004/05

2.5% CI for BBS

97.5% CI for BBS

Variance - BBS

Precision estimate - BBS

Precision score - BBS

BBS Routes where species present

Sample size score - BBS

Relative abundance - BBS

Abundance score - BBS

% N. Am. Range covered by BBS

BBS range coverage score

Reliability score for BBS

LIST ORDER

List Order - All sp, no classification

List Order - Cont. sp, no classification

NS Winter Range

% in CBC area

% N. Am. Range covered by CBC

% N. Am. Range covered by CBC

NS Breeding Range

% in BBS area

% N. Am. Range covered by BBS

% N. Am. Range covered by BBS

Common Name (& pops)

SPECIES STATUS

ABA 6th ed. Status Codes

ABA 6th ed.abundance codes

Trend difference score

Absolute Value CBC trend - BBS trend

CBC trend - BBS trend

COMBINED CBC-BBS TRENDS

Combined trend scores after weighting

Combined trend - weighted

Variance of combined trend

2.5% CI (C.I. for CBC, Co.I. For BBS)

97.5% CI (C.I. for CBC, Co.I. For BBS)

Equal weighting score

Percent CBC weighting

BBS TRENDS THROUGH 2004/2005

BBS Ine/Die/Stable (sensu PF)

BBS Continental Trend: 1966-2004/05

2.5% CI for BBS

97.5% CI for BBS

Variance - BBS

Precision estimate - BBS

Precision score - BBS

BBS Routes where species present

Sample size score - BBS

Relative abundance - BBS

Abundance score - BBS

% N. Am. Range covered by BBS

BBS range coverage score

Reliability score for BBS

LIST ORDER

List Order - All sp, no classification

List Order - Cont. sp, no classification

NS Winter Range

% in CBC area

% N. Am. Range covered by CBC

% N. Am. Range covered by CBC

NS Breeding Range

% in BBS area

% N. Am. Range covered by BBS

% N. Am. Range covered by BBS